




# ***S-21 OUTBOUND***

## **PARTS MANUAL**



Serial Number: \_\_\_\_\_

Registration Number: \_\_\_\_\_

COPYRIGHT © 2017  
**RANS DESIGNS**  
4600 HWY 183 Alt  
HAYS, KANSAS, USA 67601  
785-625-6346  
**WWW.RANS.COM**



U.S. Department  
of Transportation

**Federal Aviation  
Administration**

Aviation Safety

10101 Hillwood Parkway  
Fort Worth, TX 76177

September 19, 2018

Mr. Randy Schlitter  
RANS Designs Inc.  
4600 Hwy 183 Alt.  
Hays, KS 67601

Dear Mr. Schlitter:

The Federal Aviation Administration (FAA), National Kit Evaluation Team (NKET) completed an evaluation of the RANS S-21 Outbound, at your facility on September 11, 2018. The kit is defined by the RANS S-21 Outbound Aircraft Bill of Materials, dated September 11, 2018. The team determined that the kit may allow an amateur builder to meet the major portion requirement of Title 14, Code of Federal Regulations Part 21, Certification Procedures for Products and Articles, § 21.191(g).

We will advise the Aircraft Certification Service's Certification Procedures Branch to add the kit to the Revised Listing of Amateur-Built Aircraft Kits (Kit List) located on the FAA website. This evaluation does not mean that the RANS S-21 Outbound is FAA "*certified, certificated, or approved*," and it is inappropriate to represent either as such.

RANS Designs Inc., should notify this office in writing if ownership of the company changes, and or if there are changes made to the evaluated kit that may affect its potential to meet the major portion requirement. Failure to notify this office may result in removal of the kit from the Kit List.

If you have any questions, please contact the Southwest Manufacturing Inspection Office (MIO) Branch at (817) 222-5180.

Sincerely,


Bruce Cain  
Aviation Safety  
Manager, Southwest MIO Branch, AIR-880

Enclosure— One Amateur-Built Aircraft Fabrication and Assembly Checklist  
for RANS S-21 OUTBOUND

STEP 1:

PARTS MANUAL AS SHIPPED or PRINTED.  
PLACE IN 3-RING BINDER TO SECURE.

PARTS DRAWING PAGE



3-HOLE PUNCH


EXAMPLE ONLY.  
MAY NOT REPRESENT ACTUAL PAGES  
FROM YOUR MANUAL.

SEE NEXT PAGE

STEP 2:

OPEN 3-RING BINDER.  
REMOVE PARTS DRAWING PAGE AND  
ROTATE 180° TO FACE  
CORRESPONDING  
PARTS DESCRIPTION PAGE.  
REPEAT FOR REMAINING PAGES

PARTS DRAWING PAGE



PARTS DESCRIPTION PAGE

| S-7S COURIER - WING - TIP RIB ASSEMBLY |                             |             |          | PAGE 005C-06 |  |
|----------------------------------------|-----------------------------|-------------|----------|--------------|--|
| #                                      | DESCRIPTION                 | PART NUMBER | QUANTITY |              |  |
| 1.                                     | 1/8" ALUMINUM RIVET         | AAQ-41      | 24       |              |  |
| 2.                                     | RIB CLIP TRAILING EDGE - LH | KPW0372-L   | 4        |              |  |
| 2.                                     | RIB CLIP TRAILING EDGE - RH | KPW0372-R   | 1        |              |  |
| 3.                                     | WING TIP RIB - LH           | KPW0544-L   | 1        |              |  |
| 3.                                     | WING TIP RIB - RH           | KPW0544-R   | 1        |              |  |
| 4.                                     | RIB CLIP LEADING EDGE - LH  | KPW0373-L   | 1        |              |  |
| 4.                                     | RIB CLIP LEADING EDGE - RH  | KPW0373-R   | 1        |              |  |

6/15/2011


EXAMPLE ONLY.  
MAY NOT REPRESENT ACTUAL PAGES  
FROM YOUR MANUAL.

SEE NEXT PAGE

STEP 3:

PARTS DRAWING PAGE  
FACES CORRESPONDING  
PARTS DESCRIPTION PAGE  
WHEN FINAL SECURED IN  
BINDER

PARTS DRAWING PAGE



PARTS DESCRIPTION PAGE

| S-7S COURIER - WING - TIP RIB ASSEMBLY |                             |             |          |
|----------------------------------------|-----------------------------|-------------|----------|
| #                                      | DESCRIPTION                 | PART NUMBER | QUANTITY |
| 1.                                     | 1/8" ALUMINUM RIVET         | AAPO41      | 24       |
| 2.                                     | RIB CLIP TRAILING EDGE - LH | KPW0372-L   | 4        |
| 2.                                     | RIB CLIP TRAILING EDGE - RH | KPW0372-R   | 1        |
| 3.                                     | WING TIP RIB - LH           | KPW0544-L   | 1        |
| 3.                                     | WING TIP RIB - RH           | KPW0544-R   | 1        |
| 4.                                     | RIB CLIP LEADING EDGE - LH  | KPW0373-L   | 1        |
| 4.                                     | RIB CLIP LEADING EDGE - RH  | KPW0373-R   | 1        |

EXAMPLE ONLY.  
MAY NOT REPRESENT ACTUAL PAGES  
FROM YOUR MANUAL.


# RANS S-21 OUTBOUND - PARTS MANUAL

## TABLE OF CONTENTS

|                                                              |         |
|--------------------------------------------------------------|---------|
| RUDDER FRAME & SKIN ASSEMBLY-----                            | 002-01  |
| OPTIONS - BUMP TRIM KIT - RUDDER AND AILERON -----           | 002-03  |
| VERTICAL STABILIZER FRAME & SKIN ASSEMBLY -----              | 003-01  |
| VERTICAL STABILIZER INSTALLATION -----                       | 003-03  |
| OPTIONAL - TAILDRAGGER - PULL HANDLE ASSEMBLY -----          | 003-05  |
| HORIZONTAL STABILIZER FRAME ASSEMBLY -----                   | 004-01  |
| HORIZONTAL STABILIZER SKIN INSTALLATION-----                 | 004-03  |
| HORIZONTAL STABILIZER INSTALLATION-----                      | 004-05  |
| ELEVATOR FRAME ASSEMBLY -----                                | 005-01  |
| ELEVATOR SKIN INSTALLATION-----                              | 005-03  |
| ELEVATOR AND ELEVATOR TRIM TAB INSTALLATION-----             | 005-05  |
| ELEVATOR TRIM TAB ASSEMBLY -----                             | 005-07  |
| 141 WING - SPAR ASSEMBLY -----                               | 006-01  |
| 141 WING - BELLCRANK ASSEMBLIES-----                         | 006A-01 |
| 141 WING - FRAME ASSEMBLY -----                              | 006B-01 |
| 141 WING - BELLCRANK INSTALLATION -----                      | 006B-03 |
| 141 WING - SKIN INSTALLATION -----                           | 006C-01 |
| 141 WING - BOTTOM SKIN - INSPECTION PANEL INSTALLATION ----- | 006C-03 |
| 141 WING - OPTIONS - PITOT/STATIC SYSTEM-----                | 006C-05 |
| 141 WING - FUEL TANK ASSEMBLY-----                           | 006D-01 |
| 141 WING - FLAP ASSEMBLY AND INSTALLATION -----              | 006E-01 |
| 141 WING - AILERON ASSEMBLY AND INSTALLATION -----           | 006F-01 |
| 141 WING - LIFT STRUT ASSEMBLY & INSTALLATION -----          | 006G-01 |
| 141 WING - UPPER LIFT STRUT FAIRING -----                    | 006G-03 |
| 141 WING - WING TIP ASSEMBLY AND INSTALLATION -----          | 006H-01 |
| 141 WING - OPTIONS - AVEO STROBE INSTALLATION-----           | 006H-03 |
| 141 WING - OPTIONS - LANDING LIGHTS INSTALLATION -----       | 006H-05 |
| 141 WING - ROOT SEAL INSTALLATION-----                       | 006I-01 |
| FUSELAGE - STATION 4 & 5 - BULKHEAD ASSEMBLY -----           | 007-01  |
| FUSELAGE - STATION 6 & 8 - BULKHEAD ASSEMBLY -----           | 007-03  |
| FUSELAGE - STATION 9 - BULKHEAD ASSEMBLY-----                | 007-05  |
| FUSELAGE - STATION 10 - BULKHEAD ASSEMBLY -----              | 007-07  |
| FUSELAGE - TAILCONE - BOTTOM SKIN ASSEMBLY-----              | 007A-01 |

|                                                                         |          |
|-------------------------------------------------------------------------|----------|
| FUSELAGE - OPTIONS - GARMIN GMU11 MAGNETOMETER MOUNT -----              | 007A-03  |
| FUSELAGE - TAILCONE - SIDE & TOP SKIN ASSEMBLY -----                    | 007B-01  |
| FUSELAGE - TAILCONE - AFT CLOSEOUT INSTALLATION -----                   | 007B-03  |
| FUSELAGE - SKINS AND TAILCONE MATING INSTALLATION -----                 | 007C-01  |
| TAILDRAGGER - MAIN GEAR INSTALLATION -----                              | 008-01   |
| TAILDRAGGER - WHEEL & BRAKE INSTALLATION -----                          | 008-03   |
| TAILDRAGGER - 6" TIRES-----                                             | 008-05   |
| TAILDRAGGER - 8" TAILWHEEL INSTALLATION -----                           | 008-07   |
| TAILDRAGGER - OPTIONS - 10" TAILWHEEL INSTALLATION -----                | 008-09   |
| TRIKE - MAIN GEAR INSTALLATION -----                                    | 008A-01  |
| TRIKE - STANDARD - WHEEL AND BRAKE INSTALLATION-----                    | 008A-03  |
| TRIKE - OPTIONS - TUNDRA - WHEEL AND BRAKE INSTALLATION -----           | 008A-04A |
| TRIKE - STANDARD - NOSE GEAR INSTALLATION-----                          | 008A-05  |
| TRIKE - OPTIONS - TUNDRA - NOSE FORK INSTALLATION -----                 | 008A-06A |
| TRIKE - TAIL TIE-DOWN INSTALLATION -----                                | 008A-07  |
| TRIKE - OPTIONS - TOW BAR INSTALLATION-----                             | 008A-09  |
| TRIKE - OPTIONS - TUNDRA NOSE GEAR - TOW BAR INSTALLATION -----         | 008A-11  |
| BELLY FAIRINGS -----                                                    | 008B-01  |
| OPTIONS - JACK LUG-----                                                 | 008C-01  |
| FUSELAGE - FLOORBOARD INSTALLATION-----                                 | 009-01   |
| FUSELAGE - RUDDER PEDAL INSTALLATION -----                              | 009A-01  |
| FUSELAGE - RUDDER SYSTEM INSTALLATION -----                             | 009B-01  |
| FUSELAGE - HYDRAULIC BRAKE INSTALLATION -----                           | 009C-01  |
| FUSELAGE - SLIDING SEAT ASSEMBLY -----                                  | 009D-01  |
| FUSELAGE - OPTIONS - SEAT HEADREST INSTALLATION-----                    | 009D-03  |
| FUSELAGE - SEAT BELT INSTALLATION-----                                  | 009D-05  |
| FUSELAGE - CONTROL STICK INSTALLATION -----                             | 010-01   |
| FUSELAGE - OPTIONS - PASSENGER SEAT ELECTRIC ELEVATOR TRIM -----        | 010-03   |
| FUSELAGE - CONTROL STICK PUSH-PULL TUBE INSTALLATION -----              | 010A-01  |
| FUSELAGE - ELEVATOR PUSH-PULL TUBE INSTALLATION -----                   | 010B-01  |
| FUSELAGE - AILERON CABLE SYSTEM INSTALLATION -----                      | 010C-01  |
| FUSELAGE - FLAP LEVER INSTALLATION -----                                | 010D-01  |
| FUSELAGE - BOOT COWL ASSEMBLY -----                                     | 010E-01  |
| FUSELAGE - VENT SYSTEM INSTALLATION-----                                | 010E-03  |
| FUSELAGE - INSTRUMENT PANEL INSTALLATION -----                          | 010F-01  |
| FUSELAGE - INSTRUMENT SUB-PANEL & RADIO MOUNT PLATES INSTALLATION ----- | 010F-03  |
| FUSELAGE - OPTIONS - PITCH SERVO INSTALLATION -----                     | 010F-05  |

|                                                            |         |
|------------------------------------------------------------|---------|
| FUSELAGE - OPTIONS - ROLL SERVO INSTALLATION -----         | 010F-07 |
| FUSELAGE - FORMED WINDSHIELD & SKYLIGHT INSTALLATION ----- | 010G-01 |
| DOOR ASSEMBLY, LEXAN AND TRIM -----                        | 010H-01 |
| DOOR LATCH AND DOOR INSTALLATION -----                     | 010H-03 |
| AFT BAGGAGE COMPARTMENT INSTALLATION -----                 | 010I-01 |
| SIDES - FORWARD BAGGAGE COMPARTMENT INSTALLATION -----     | 010I-03 |
| FLOOR - FORWARD BAGGAGE COMPARTMENT INSTALLATION-----      | 010I-05 |
| INTERIOR INSTALLATION - AFT -----                          | 010I-07 |
| INTERIOR INSTALLATION - FWD -----                          | 010I-09 |
| OPTIONS - CARGO NET INSTALLATION-----                      | 010I-11 |
| STATION 3 CLOSEOUT-----                                    | 010J-01 |



\* REFER TO VERTICAL  
STABILIZER FRAME AND  
SKIN ASSEMBLY

MD5651  
REV. A


**S-21 OUTBOUND  
RUDDER FRAME & SKIN ASSEMBLY**

**RANS S-21 OUTBOUND**  
**RUDDER FRAME & SKIN ASSEMBLY**

PAGE

002-02

| #   | DESCRIPTION                            | PART NUMBER | QUANTITY |
|-----|----------------------------------------|-------------|----------|
| 1.  | Rudder Spar                            | KPRD0106    | 1        |
| 2.  | Rudder Rib - Upper                     | KPRD0109    | 3        |
| 3.  | Rudder Horn Mount Tube                 | KPRD0103    | 1        |
| 4.  | Rudder Rib - Lower                     | KPRD0107    | 1        |
| 5.  | Rudder Horn                            | KPRD0104    | 1        |
| 6.  | Elevator and Rudder Hinge - Short      | KPHS0098    | 4        |
| 7.  | Rudder Horn Rib Doubler                | KPRD0105    | 1        |
| 8.  | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-42     | 15       |
| 9.  | 3/16" Stainless Steel Rivet - Cherry Q | CCPQ-62     | 1        |
| 10. | 3/16" Bolt                             | AN3-16A     | 3        |
| 11. | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-41     | 148      |
| 12. | 3/16" Thick Washer                     | AN960-10    | 7        |
| 13. | 3/16" Thin Washer                      | AN960-10L   | 9        |
| 14. | 3/16" Shear Nut                        | AN364-1032A | 7        |
| 15. | 3/16" Bolt                             | AN3-4A      | 2        |
| 16. | Rudder Skin                            | KPRD0110    | 1        |
| 17. | 3/16" Bolt                             | AN3-11A     | 2        |
| 18. | Bronze Flange Bushing                  | KSAC0019-3  | 4        |
| 19. | 3/16" Stainless Steel Rivet - Cherry Q | CCPQ-64     | 8        |



**RETRACTABLE S-21 OUTBOUND  
OPTIONS - BUMP TRIM KIT - RUDDER & AILERON**

MD5651  
REV. - ORIG

# RANS S-21 OUTBOUND

PAGE

002-04

## OPTIONS - BUMP TRIM KIT - RUDDER AND AILERON


KAAC0112

| #  | DESCRIPTION                  | PART NUMBER | QUANTITY |
|----|------------------------------|-------------|----------|
| 1. | Bump Trim *                  | KPAC0289    | 2        |
| 2. | Bump Trim Housing *, **      | KPAC0289-1  | 0        |
| 3. | Bump Trim Slide *, **        | KPAC0289-2  | 0        |
| 4. | 1/4" VHB Double Sided Tape * | KSAC0080    | 22 in    |

\* Included in KAAC0112 Kit

\*\* Part of KPAC0289

9/11/2018  
REV. - ORIG



# RRR-MD S-21 OUTBOUND VERTICAL STABILIZER FRAME & SKIN ASSEMBLY

MD5651  
REV. B


VERTICAL STABILIZER FRAME & SKIN ASSEMBLY

| #   | DESCRIPTION                             | PART NUMBER | QUANTITY |
|-----|-----------------------------------------|-------------|----------|
| 1.  | Vertical Fin Top Nose Rib               | KPVS0100    | 1        |
| 2.  | Vertical Fin FWD Spar                   | KPVS0103    | 1        |
| 3.  | Vertical Fin Nose Rib #3                | KPVS0110    | 1        |
| 4.  | Vertical Fin Nose Rib #2                | KPVS0109    | 1        |
| 5.  | Vertical Fin Bottom Nose Rib            | KPVS0104    | 1        |
| 6.  | Vertical Top Aft Rib                    | KPVS0102    | 1        |
| 7.  | Vertical Aft Rib #3                     | KPVS0112    | 1        |
| 8.  | Vertical AFT Rib #2                     | KPVS0111    | 1        |
| 9.  | Vertical Bottom Aft Rib                 | KPVS0101    | 1        |
| 10. | FWD Vertical Spar Gusset - #1           | KPVS0105    | 1        |
| 11. | FWD Vertical Spar Gusset - #2           | KPVS0106    | 1        |
| 12. | Vertical Fin Aft Spar                   | KPVS0096    | 1        |
| 13. | Vertical Fin Gusset - AFT - #1          | KPVS0097    | 1        |
| 14. | Vertical Fin Gusset - AFT - #2          | KPVS0098    | 1        |
| 15. | Vertical Fin Gusset - AFT - #3          | KPVS0099    | 1        |
| 16. | Elevator and Rudder Hinge - Long        | KPHS0097    | 4        |
| 17. | 1/8" Aluminum Rivet - Cherry Q          | AAPQ-42     | 114      |
| 18. | 1/8" Aluminum Rivet - Cherry Q          | AAPQ-44     | 27       |
| 19. | 1/8" Aluminum Rivet - Cherry Q          | AAPQ-46     | 8        |
| 20. | 3/16" Stainless Steel Rivet - Cherry Q  | CCPQ-64     | 4        |
| 21. | 3/16" Stainless Steel Rivet - Cherry Q  | CCPQ-68     | 4        |
| 22. | Vertical Stabilizer Leading Edge Skin   | KPVS0108    | 1        |
| 23. | Vertical Stabilizer Side Skin           | KPVS0107    | 2        |
| 24. | 1/8" Aluminum Rivet - Cherry Q          | AAPQ-41     | 184      |
| 25. | Vertical Stabilizer Tip                 | KPVS0113    | 1        |
| 26. | Vertical Stabilizer Tip Rib             | KPVS0114    | 1        |
| 27. | 1/8" Aluminum Rivet - Cherry Q          | AAPQ-43     | 16       |
| 28. | 1/8" Small Brass Washer                 | AN960-B4    | 10       |
| 29. | Adhesive - Superglue or Silicone Seal * | -----       | 0        |
| 30. | Rubber Trim                             | X1011       | 6 ft     |
| 31. | Bronze Flange Bushing                   | KSAC0019-3  | 4        |

\*\* Builder Supplied

9/11/2018

REV. B



STATION 9  
BULKHEAD

STATION 8  
BULKHEAD

MD5651  
REV. - ORIG


# **RRM S-21 OUTBOUND VERTICAL STABILIZER INSTALLATION**

**RANS S-21 OUTBOUND**  
**VERTICAL STABILIZER INSTALLATION**

PAGE

003-04

| #  | DESCRIPTION       | PART NUMBER | QUANTITY |
|----|-------------------|-------------|----------|
| 1. | 3/16" Bolt        | AN3-6A      | 3        |
| 2. | Rudder Stop       | KPRD0111    | 1        |
| 3. | 3/16" Bolt        | AN3-10A     | 2        |
| 4. | 3/16" Shear Nut   | AN364-1032A | 10       |
| 5. | 3/16" Thin Washer | AN960-10L   | 10       |
| 6. | 3/16" Bolt        | AN3-5A      | 5        |



**REF ID: A12345** S-21 OUTBOUND  
OPTIONAL - TAILDRAGGER - PULL HANDLE ASSEMBLY

MD5651  
REV. - ORIG

# RANS S-21 OUTBOUND

PAGE

003-06

## OPTIONAL - TAILDRAGGER - PULL HANDLE ASSEMBLY

KAVS0006

| #   | DESCRIPTION                    | PART NUMBER | QUANTITY |
|-----|--------------------------------|-------------|----------|
| 1.  | Quick-Release Button           | KSHW0112    | 1        |
| 2.  | Pull Handle Raw Stock Kit      | KAAC0106    | 1        |
| 3.  | 5/8" X .058" Aluminum Tube *   | KAAC0106-1  | 1        |
| 4.  | 3/4" X .058" Aluminum Tube *   | KAAC0106-2  | 1        |
| 5.  | 7/8" X .058" Aluminum Tube *   | KAAC0106-3  | 1        |
| 6.  | Pull Handle Doubler **         | KPVS0115    | 1        |
| 7.  | JB Weld Adhesive ***           | -----       | 0        |
| 8.  | 1/8" Aluminum Rivet - Cherry Q | AAPQ-41     | 2        |
| 9.  | 1/8" Aluminum Rivet - Cherry Q | AAPQ-42     | 4        |
| 10. | 1/8" Aluminum Rivet - Cherry Q | AAPQ-43     | 6        |
| 11. | Handle Grip - 3/4"             | KSAC0079    | 1        |


\* Part of Raw Stock Kit

\*\* Builder Modifies

\*\*\* Builder Supplied

9/11/2018

REV. - ORIG




TYPICAL SPAR  
TO DOUBLER

**S-21 OUTBOUND  
HORIZONTAL STABILIZER FRAME ASSEMBLY**

MD5651  
REV. B

HORIZONTAL STABILIZER FRAME ASSEMBLY

| #   | DESCRIPTION                            | PART NUMBER | QUANTITY |
|-----|----------------------------------------|-------------|----------|
| 1.  | Horizontal Stabilizer Nose Rib         | KPHS0085    | 12       |
| 2.  | Horizontal Stabilizer Spar - FWD       | KPHS0088    | 1        |
| 3.  | Horizontal Outboard Rib                | KPHS0082    | 2        |
| 4.  | Horizontal Stabilizer Spar Doubler     | KPHS0089    | 2        |
| 5.  | Horizontal Middle Rib                  | KPHS0084    | 7        |
| 6.  | Elevator and Rudder Hinge - Long       | KPHS0097    | 8        |
| 7.  | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-42     | 236      |
| 8.  | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-43     | 18       |
| 9.  | 3/16" Stainless Steel Rivet - Cherry Q | CCPQ-64     | 16       |
| 10. | Horizontal Stabilizer Spar - AFT       | KPHS0095    | 1        |
| 11. | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-41     | 2        |
| 12. | Horizontal End Rib                     | KPHS0096    | 2        |



REFINISH S-21 OUTBOUND  
HORIZONTAL STABILIZER SKIN INSTALLATION

# RANS S-21 OUTBOUND

## HORIZONTAL STABILIZER SKIN INSTALLATION

PAGE


004-04

| #   | DESCRIPTION                             | PART NUMBER | QUANTITY |
|-----|-----------------------------------------|-------------|----------|
| 1.  | 5" Inspection Cover Tab Ring            | KPWI0656    | 2        |
| 2.  | Tinnerman                               | A1789-8Z-1  | 10       |
| 3.  | 1/8" Aluminum Rivet - Cherry Q          | AAPQ-41     | 316      |
| 4.  | 5" Inspection Cover                     | KPWI0659    | 2        |
| 5.  | #8 Pan Head Screw                       | 8X1/2 PHS   | 10       |
| 6.  | Horizontal Stabilizer Skin - LH         | KPHS0092-L  | 1        |
| 7.  | 1/8" Aluminum Rivet - Cherry Q          | AAPQ-42     | 156      |
| 8.  | 1/8" Aluminum Rivet - Cherry Q          | AAPQ-43     | 194      |
| 9.  | Horizontal Tip                          | KPHS0093    | 2        |
| 10. | 1/8" Small Brass Washer                 | AN960-B4    | 12       |
| 11. | Adhesive - Superglue or Silicone Seal * | -----       | 0        |
| 12. | Horizontal Stabilizer Fairing           | KPHS0094    | 2        |
| 13. | 6-32 Single-Ear Nut Plate               | K-2000-06   | 20       |
| 14. | 3/32" Aluminum Rivet                    | 40APR1/8    | 40       |
| 15. | Rubber Edging                           | 8510K11     | 3 ft     |
| 16. | Adhesive - Superglue *                  | -----       | 0        |
| 17. | 1/8" Aluminum Rivet - Flush             | AACQ-42     | 22       |
| 18. | 6-32 Machine Screw                      | AN526-632R6 | 20       |
| 19. | 1/8" Aluminum Rivet - Flush             | AACQ-43     | 31       |
| 20. | Horizontal Stabilizer Skin - RH         | KPHS0092-R  | 1        |

\* Builder Supplied

9/11/2018  
REV. A

\* REFER TO FUSELAGE - STATION 10  
- BULKHEAD ASSEMBLY



SKINS NOT SHOWN FOR CLARITY

# REF ID: A12345 S-21 OUTBOUND HORIZONTAL STABILIZER INSTALLATION

MD5651  
REV. A

**RANS S-21 OUTBOUND**  
**HORIZONTAL STABILIZER INSTALLATION**

PAGE

004-06

| #  | DESCRIPTION                               | PART NUMBER | QUANTITY |
|----|-------------------------------------------|-------------|----------|
| 1. | 1/4" Shear Nut                            | AN364-428A  | 4        |
| 2. | 1/4" Thick Washer                         | AN960-416   | 6        |
| 3. | 1/4" Bolt                                 | AN4-14A     | 2        |
| 4. | Aluminum Bushing - 3/8" x .095" x .935" * | KPAC0060    | 2        |
| 5. | 1/4" Bolt                                 | AN4-6A      | 2        |
| 6. | 1/4" Large Washer                         | AN970-4     | 2        |
| 7. | Loctite Blue **                           | ----        | 0        |

\* Builder Modifies


\*\* Builder Supplied

9/11/2018

REV. A

\* ALL RIVETS AAPQ-41, EXCEPT AS MARKED  
\*\* RIVETS THROUGH SPAR CONNECT GUSSET AND SPAR  
\*\*\* RIVETS THROUGH SPAR CONNECT GUSSET, SPAR AND RIB

ALL RIVETS MUST BE  
INSTALLED SECURELY THROUGH RIBS  
AND HORN FOR SAFE OPERATION



NOT ALL RIVETS SHOWN  
IN EVERY INSTALLATION  
POSITION FOR CLARITY


# RRR S-21 OUTBOUND ELEVATOR FRAME ASSEMBLY

MD5651  
REV. B

ELEVATOR FRAME ASSEMBLY

| #   | DESCRIPTION                            | PART NUMBER | QUANTITY |
|-----|----------------------------------------|-------------|----------|
| 1.  | Elevator Tip - Inner                   | KPEL0042    | 2        |
| 2.  | Elevator and Rudder Hinge - Short      | KPHS0098    | 8        |
| 3.  | Elevator Tip Attach Angle              | KPEL0044    | 2        |
| 4.  | Elevator FWD Spar                      | KPEL0040    | 2        |
| 5.  | Elevator Rib                           | KPEL0038    | 10       |
| 6.  | Elevator AFT Spar                      | KPEL0039    | 2        |
| 7.  | Elevator Trailing Edge Rib             | KPEL0037    | 6        |
| 8.  | Elevator Trim Tab Hinge *              | KPTR0067    | 1        |
| 9.  | Elevator Trim Servo Rib                | KPEL0045    | 2        |
| 10. | Elevator Horn                          | KPEL0048    | 1        |
| 11. | Elevator FWD Spar Connect Gusset       | KPEL0041    | 1        |
| 12. | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-41     | 106      |
| 13. | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-42     | 20       |
| 14. | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-46     | 12       |
| 15. | 3/16" Stainless Steel Rivet - Cherry Q | CCPQ-64     | 16       |
| 16. | Bearing                                | SR4APP      | 1        |
| 17. | 1/8" Small Brass Washer                | AN960-B4    | 2        |
| 18. | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-45     | 1        |
| 19. | Elevator Horn Rib                      | KPEL0053    | 2        |

\* Builder Modifies



\* ALL RIVETS AAPQ-41



# REFINER S-21 OUTBOUND ELEVATOR SKIN INSTALLATION

MD5651  
REV. A

**RANS S-21 OUTBOUND**  
**ELEVATOR SKIN INSTALLATION**


PAGE

005-04

| #   | DESCRIPTION                    | PART NUMBER | QUANTITY |
|-----|--------------------------------|-------------|----------|
| 1.  | Elevator Top Skin - LH         | KPEL0035-L  | 1        |
| 2.  | Elevator Top Skin - RH         | KPEL0035-R  | 1        |
| 3.  | Elevator Tip - Outer           | KPEL0043    | 2        |
| 4.  | Elevator Tip Skin              | KPEL0047    | 2        |
| 5.  | Elevator Trailing Edge Skin    | KPEL0034    | 2        |
| 6.  | Elevator Bottom Skin - LH      | KPEL0036-L  | 1        |
| 7.  | Elevator Bottom Skin - RH      | KPEL0036-R  | 1        |
| 8.  | Trim Servo Cover               | KPEL0046    | 1        |
| 9.  | 1/8" Aluminum Rivet - Cherry Q | AAPQ-41     | 715      |
| 10. | Tinnerman                      | A1789-8Z-1  | 5        |
| 11. | #8 Pan Head Screw              | 8x1/2 PHS   | 5        |
| 12. | Elevator Balance Rib           | KPEL0049    | 2        |
| 13. | Elevator Top Skin Splice       | KPEL0050    | 1        |
| 14. | Elevator Bottom Skin Splice    | KPEL0051    | 1        |
| 15. | Lead Shot or BB's *            | ----        | 0        |
| 16. | Epoxy *                        | ----        | 0        |
| 17. | Bondo / Filler *               | ----        | 0        |
| 18. | 1-1/4" Tube for forming *      | ----        | 0        |

\* Builder Supplied

9/11/2018  
REV. A



MD5651  
REV. - ORIG

**S-21 OUTBOUND**  
**ELEVATOR AND ELEVATOR TRIM TAB INSTALLATION**

ELEVATOR AND ELEVATOR TRIM TAB INSTALLATION

| #  | DESCRIPTION                        | PART NUMBER | QUANTITY |
|----|------------------------------------|-------------|----------|
| 1. | 3/16" Bolt                         | AN3-11A     | 4        |
| 2. | 3/16" Thin Washer                  | AN960-10L   | 8        |
| 3. | Bronze Flange Bushing              | KSAC0019-3  | 16       |
| 4. | 3/16" Shear Nut                    | AN364-1032A | 4        |
| 5. | Pin - Elevator Trim Tab Hinge * ** | KPTR0067    | 0        |

\* Part of KPTR0067

\*\* Refer to Elevator Frame Assembly and Elevator Trim Tab Assembly


9/11/2018

REV. A

INSTALL PER  
MANUFACTURER'S  
DIRECTIONS

REFER TO ELEVATOR  
FRAME ASSEMBLY

PILOT SIDE  
CONTROL STICK



NOT ALL RIVETS SHOWN  
IN EVERY INSTALLATION  
POSITION FOR CLARITY

# RRR S-21 OUTBOUND ELEVATOR TRIM TAB ASSEMBLY

MD5651  
REV. B

# RANS S-21 OUTBOUND

PAGE

005-08

## ELEVATOR TRIM TAB ASSEMBLY

| #   | DESCRIPTION                           | PART NUMBER  | QUANTITY |
|-----|---------------------------------------|--------------|----------|
| 1.  | Elevator Trim Tab Spar - LH           | KPTR0064-L   | 1        |
| 2.  | Elevator Trim Tab Spar - RH           | KPTR0064-R   | 1        |
| 3.  | Elevator Trim Tab Rib - LH            | KPTR0063-L   | 4        |
| 4.  | Elevator Trim Tab Rib - RH            | KPTR0063-R   | 4        |
| 5.  | Elevator Trim Tab Horn - LH           | KPTR0066-L   | 1        |
| 6.  | Elevator Trim Tab Horn - RH           | KPTR0066-R   | 1        |
| 7.  | Elevator Trim Tab Hinge * **          | KPTR0067     | 0        |
| 8.  | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-41      | 108      |
| 9.  | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-42      | 24       |
| 10. | Trim Servo Kit                        | KSTR0001     | 1        |
| 11. | Trim Servo ***                        | ----         | 0        |
| 12. | 8-32 Nut Plate                        | MS21047-08   | 4        |
| 13. | 3/32" Aluminum Rivet                  | 40APR1/8     | 8        |
| 14. | 8-32 Machine Screw                    | AN526-832R10 | 4        |
| 15. | Cotter Pin ***                        | ----         | 0        |
| 16. | 1/8" Small Brass Washer               | AN960-B4     | 2        |
| 17. | Clevis Pin ***                        | ----         | 0        |
| 18. | Clevis ***                            | ----         | 0        |
| 19. | Jam Nut ***                           | ----         | 0        |
| 20. | Push Rod ***                          | ----         | 0        |
| 21. | Trim Position Indicator ***           | ----         | 0        |
| 22. | Control Stick Grip                    | KSCS0016     | 1        |
| 23. | 5-Wire Bundle - 26 Gauge - White Wire | KSES0022     | 24 ft.   |
| 24. | 20 Gauge - White Wire ****            | ----         | 0        |
| 25. | 3/16" Rubber Grommet                  | KSAC0002     | 3        |
| 26. | Elevator Trim Tab Skin                | KPTR0065     | 1        |

\* Builder Modifies

\*\* Refer to Elevator Frame Assembly

\*\*\* Included in Trim Servo Kit

\*\*\*\* Builder Supplied


9/11/2018

REV. B




141 WING - SPAR ASSEMBLY

| #   | DESCRIPTION                            | PART NUMBER | QUANTITY |
|-----|----------------------------------------|-------------|----------|
| 1.  | Forward Wing Spar - RH                 | KPWI0650-R  | 1        |
| 1.  | Forward Wing Spar - LH                 | KPWI0650-L  | 1        |
| 2.  | Rear Wing Spar - RH                    | KPWI0649-R  | 1        |
| 2.  | Rear Wing Spar - LH                    | KPWI0649-L  | 1        |
| 3.  | FWD Spar Truss Doubler                 | KPWI0642    | 2        |
| 4.  | FWD Spar FWD Attach Doubler            | KPWI0667    | 2        |
| 5.  | FWD Spar AFT Attach Doubler            | KPWI0678    | 2        |
| 6.  | AFT Spar Truss Doubler                 | KPWI0643    | 2        |
| 7.  | AFT Spar Attach Doubler                | KPWI0671    | 2        |
| 8.  | 1/8" Stainless Steel Rivet - Cherry Q  | CCPQ-43     | 28       |
| 9.  | 1/8" Stainless Steel Rivet - Cherry Q  | CCPQ-46     | 48       |
| 10. | 1/8" Stainless Steel Rivet - Cherry Q  | CCPQ-44     | 24       |
| 11. | 3/16" Stainless Steel Rivet - Cherry Q | CCPQ-66     | 8        |
| 12. | AFT Spar Attach Fitting                | KPWI0672    | 2        |
| 13. | 3/16" Bolt                             | AN3-15A     | 4        |
| 14. | 3/16" Thick Washer                     | AN960-10    | 4        |
| 15. | 3/16" Shear Nut                        | AN364-1032A | 4        |
| 16. | 3/8" Bolt                              | AN6-35A     | 2        |
| 17. | 3/8" Thick Washer                      | AN960-616   | 4        |
| 18. | 3/8" Tensile Nut                       | AN365-624A  | 2        |
| 19. | 5/16" Bolt                             | AN5-20A     | 2        |
| 20. | 5/16" Thick Washer                     | AN960-516   | 6        |
| 21. | 5/16" Tensile Nut                      | AN365-524A  | 2        |



LEFT-HAND BELLCRANKS SHOWN



FLAP BELLCRANK

**REPAIR S-21 OUTBOUND  
141 WING - BELLCRANK ASSEMBLIES**

# RANS S-21 OUTBOUND

PAGE

006A-02

## 141 WING - BELLCRANK ASSEMBLIES

| #   | DESCRIPTION               | PART NUMBER | QUANTITY |
|-----|---------------------------|-------------|----------|
| 1.  | Aileron Bellcrank Spindle | KPAL0138    | 2        |
| 2.  | Bearing                   | KSCS0019    | 4        |
| 3.  | Aileron Bellcrank Pulley  | KPAL0137    | 2        |
| 4.  | Aileron Bellcrank Mount   | KPAL0139    | 2        |
| 5.  | 1/4" Large Washer         | AN970-4     | 2        |
| 6.  | 1/4" Bolt - Drilled Head  | AN4H-7A     | 2        |
| 7.  | Safety Wire *             | -----       | 0        |
| 8.  | Flap Bellcrank Spindle    | KPFL0169    | 2        |
| 9.  | Flap Bellcrank - RH       | KPFL0163-R  | 1        |
| 9.  | Flap Bellcrank - LH       | KPFL0163-L  | 1        |
| 10. | Flap Bellcrank Mount - RH | KPFL0164-R  | 1        |
| 10. | Flap Bellcrank Mount - LH | KPFL0164-L  | 1        |
| 11. | 3/16" Thick Washer        | AN960-10    | 2        |
| 12. | 3/16" Bolt                | AN3-31A     | 2        |
| 13. | Loctite Blue *            | -----       | 0        |
| 14. | 3/16" Shear Nut           | AN364-1032A | 4        |
| 15. | Aileron Cable Guide - LH  | KPFL0170-L  | 1        |
| 15. | Aileron Cable Guide - RH  | KPFL0170-R  | 1        |
| 16. | Aileron Cable Guide Top   | KPFL0171    | 2        |
| 17. | 3/16" Bolt                | AN3-10A     | 2        |
| 18. | 3/16" Thin Washer         | AN960-10L   | 6        |
| 19. | Aileron Cable             | KPCS0303    | 2        |
| 20. | 1 3/8" Retaining Ring     | KSHW0101    | 4        |




\* Builder Supplied

FLANGE BUSHING WILL INSTALL TO  
OUTBOARD SIDE OF OUTBOARD AILERON  
HINGE ARM AND TO INBOARD SIDE OF  
INBOARD AILERON HINGE ARM.


TYPICAL ALL AILERON &  
FLAP HINGE ARMS  
(EXCEPT ROOT)

\* USE AS NECESSARY TO FILL GAP  
\*\* BUILDER MODIFIES

LEFT-HAND WING SHOWN



FLANGE BUSHINGS WILL INSTALL TO  
OUTBOARD SIDE OF ALL FLAP HINGE ARMS.





FLAP HINGE  
ARM - ROOT

# S-21 OUTBOUND 141 WING - FRAME ASSEMBLY

MD5649  
REV. - ORIG

TYPICAL RIBS #2 THRU  
#6 AND #8 THRU #11



141 WING - FRAME ASSEMBLY

| #   | DESCRIPTION                            | PART NUMBER | QUANTITY |
|-----|----------------------------------------|-------------|----------|
| 1.  | Wing Tip Rib - LH                      | KPWI0641-L  | 1        |
| 1.  | Wing Tip Rib - RH                      | KPWI0641-R  | 1        |
| 2.  | Inner Wing Rib - LH                    | KPWI0638-L  | 8        |
| 3.  | Inner Wing Rib - RH                    | KPWI0638-R  | 8        |
| 4.  | Outside Root Rib - LH                  | KPWI0640-L  | 1        |
| 4.  | Outside Root Rib - RH                  | KPWI0640-R  | 1        |
| 5.  | Inside Root Rib - LH                   | KPWI0639-L  | 1        |
| 5.  | Inside Root Rib - RH                   | KPWI0639-R  | 1        |
| 6.  | Attach Angle - Part Assembly *         | KAWI0037    | 1        |
| 7.  | Root Rib FWD Attach Angle **           | KPWI0670    | 0        |
| 8.  | Rib AFT Attach Angle **                | KPWI0669    | 0        |
| 9.  | Wing Truss                             | KPWI0664    | 2        |
| 10. | Lexan Shim Sheet - Truss ***           | KPWI0645    | 0        |
| 11. | 5/16" Bolt                             | AN5-16A     | 8        |
| 12. | 5/16" Thick Washer                     | AN960-516   | 16       |
| 13. | 5/16" Tensile Nut                      | AN365-524A  | 8        |
| 14. | 1/4" Bolt                              | AN4-16A     | 4        |
| 15. | 1/4" Thick Washer                      | AN960-416   | 8        |
| 16. | 1/4" Thin Washer                       | AN960-416L  | 16       |
| 17. | 1/4" Tensile Nut                       | AN365-428A  | 4        |
| 18. | Wing Tie Down Angle - LH               | KPWI0677-L  | 1        |
| 18. | Wing Tie Down Angle - RH               | KPWI0677-R  | 1        |
| 19. | 1/8" Stainless Steel Rivet - Cherry Q  | CCPQ-46     | 16       |
| 20. | Bronze Flange Bushing                  | KSAC0071    | 12       |
| 21. | 1/8" Stainless Steel Rivet - Cherry Q  | CCPQ-42     | 180      |
| 22. | Aileron Hinge Arm                      | KPWI0654    | 4        |
| 23. | Aileron Bellcrank Outer Rib Support    | KPWI0653    | 2        |
| 24. | Flap Hinge Arm                         | KPWI0655    | 6        |
| 25. | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-43     | 168      |
| 26. | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-45     | 14       |
| 27. | 1/8" Aluminum Rivet - Cherry Q         | AAPQ-44     | 20       |
| 28. | Flap Hinge Arm - Root                  | KPWI0683    | 2        |
| 29. | 3/16" Stainless Steel Rivet - Cherry Q | CCPQ-66     | 4        |
| 30. | Flap Teleflex and Bellcrank Mount      | KPWI0652    | 2        |
| 31. | 1/8" Stainless Steel Rivet - Cherry Q  | CCPQ-43     | 4        |
| 32. | 3/16" Bolt                             | AN3-5A      | 2        |
| 33. | 3/16" Thin Washer                      | AN960-10L   | 2        |
| 34. | 3/16" Shear Nut                        | AN364-1032A | 2        |
| 35. | 3/4" Rubber Grommet                    | MS35489-11  | 16       |
| 36. | Serrated Grommet Strip                 | KSAC0023    | 4 ft     |
| 37. | Lexan Wing Parts Sheet                 | KAWI0041    | 1        |
| 38. | Grommet                                | KSAC0076    | 2        |


\* Builder Modifies

\*\* Part of KAWI0037

\*\*\* Part of KAWI0041


9/11/2018

REV. - ORIG



\* USE AS NECESSARY TO FILL GAP

WING RIBS SHOWN NOT RIVETED TO REAR SPAR FOR CLARITY



LEFT-HAND WING SHOWN

# REFINISH S-21 OUTBOUND 141 WING - BELLCRANK INSTALLATION

MD5649  
REV. - ORIG

**RANS S-21 OUTBOUND**  
**141 WING - BELLCRANK INSTALLATION**

PAGE

006B-04




| #   | DESCRIPTION                           | PART NUMBER | QUANTITY |
|-----|---------------------------------------|-------------|----------|
| 1.  | Safety Wire *                         | ----        | 0        |
| 2.  | Loctite Blue *                        | ----        | 0        |
| 3.  | 1/4" Bolt - Drilled Head              | AN4H-5A     | 6        |
| 4.  | 1/4" Thick Washer                     | AN960-416   | 8        |
| 5.  | Lexan Shim Sheet - Bellcrank Mount ** | KPWI0684    | 0        |
| 6.  | 3/16" Star Lock Washer                | MS35333-39  | 4        |
| 7.  | 3/16" Bolt                            | AN3-3A      | 4        |
| 8.  | 1/4" Bolt - Drilled Head              | AN4H-6A     | 2        |
| 9.  | 3/16" Thick Washer                    | AN960-10    | 4        |
| 10. | 3/16" Thin Washer                     | AN960-10L   | 4        |

\* Builder Supplied


\*\* Part of KAWI0041

9/11/2018

REV. - ORIG




\* ADDITIONAL RIVETS NOT CALLED OUT IN SPAR OR FRAME ASSEMBLY.  
\*\* NUT PLATE SUPPORTS. REMOVE FROM BOTTOM SKIN AND USE ON WING TIP.



LEFT-HAND WING SHOWN

NOT ALL DUPLICATED  
ITEMS SHOWN

# 141 WING - SKIN INSTALLATION



MD5649  
REV. E

141 WING - SKIN INSTALLATION






| #   | DESCRIPTION                           | PART NUMBER | QUANTITY |
|-----|---------------------------------------|-------------|----------|
| 1.  | Wing Skin - Top                       | KPWI0646    | 2        |
| 2.  | Wing Skin - Bottom                    | KPWI0647    | 2        |
| 3.  | Tank Support                          | KPWI0651    | 16       |
| 4.  | Tailcone & Wing Stringer              | KPFU0743    | 10       |
| 5.  | Wing Jig - FWD                        | KPWI0687-A  | 2        |
| 6.  | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-42     | 206      |
| 7.  | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-41     | 1068     |
| 8.  | 1/8" Stainless Steel Rivet - Flush    | CCC-42      | 412      |
| 9.  | Wing Gap Seal - Inboard - LH          | KPWI0706-L  | 1        |
| 9.  | Wing Gap Seal - Inboard - RH          | KPWI0706-R  | 1        |
| 10. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-42     | 82       |
| 11. | Wing Jig - AFT                        | KPWI0687-B  | 2        |
| 12. | Wood - 2" x 2" *                      | -----       | 0        |
| 13. | Wood Screws *                         | -----       | 0        |
| 14. | Nut Plate Support **                  | KPWI0703    | 0        |
| 15. | Wing Gap Seal - Outboard - LH         | KPWI0707-L  | 1        |
| 15. | Wing Gap Seal - Outboard - RH         | KPWI0707-R  | 1        |
| 16. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-43     | 206      |
| 17. | 1/8" Aluminum Rivet - Avex            | 1691-0410   | 590      |

\* Builder Supplied

\*\* Part of KPWI0647. Used on Wing Tips

9/11/2018

REV. E



LEFT-HAND WING SHOWN


# REFUND S-21 OUTBOUND 141 WING - BOTTOM SKIN INSPECTION PANEL INSTALLATION

MD5649  
REV. B

141 WING - BOTTOM SKIN - INSPECTION PANEL INSTALLATION


| #  | DESCRIPTION                    | PART NUMBER | QUANTITY |
|----|--------------------------------|-------------|----------|
| 1. | 5" Inspection Cover Tab Ring   | KPWI0656    | 22       |
| 2. | Tinnerman                      | A1789-8Z-1  | 120      |
| 3. | 1/8" Aluminum Rivet - Cherry Q | AAPQ-41     | 240      |
| 4. | 5" Inspection Cover            | KPWI0659    | 22       |
| 5. | #8 Pan Head Screw              | 8X1/2 PHS   | 120      |
| 6. | Lift Strut Exit Doubler        | KPWI0662    | 2        |
| 7. | Fuel Withdrawal Access Plate   | KPWI0674    | 2        |

# TYPICAL ANALOG INSTRUMENT INSTALLATION SHOWN



\* THESE ITEMS BUILDER SUPPLIED, AS NEEDED FOR ADDITIONAL INSTRUMENTS.

## REAR S-21 OUTBOUND 141 WING - OPTIONS - PITOT/STATIC SYSTEM



# RANS S-21 OUTBOUND

PAGE

006C-06

## 141 WING - OPTIONS - PITOT/STATIC SYSTEM

KAPT0003

| #   | DESCRIPTION                           | PART NUMBER | QUANTITY |
|-----|---------------------------------------|-------------|----------|
| 1.  | Pitot Tube                            | KPPT0014    | 1        |
| 2.  | 5" Inspection Cover * **              | KPWI0659    | 0        |
| 3.  | Pitot Doubler Plate                   | KPPT0015    | 1        |
| 4.  | Angle Bracket                         | KPAC0004    | 1        |
| 5.  | 1/4" Conduit Clamp                    | S1-CC       | 2        |
| 6.  | 3/16" Bolt                            | AN3-4A      | 2        |
| 7.  | 1/8" Small Brass Washer               | AN960-B4    | 2        |
| 8.  | 3/16" Shear Nut                       | AN364-1032A | 2        |
| 9.  | Union Elbow                           | KSPT0005    | 2        |
| 10. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-42     | 5        |
| 11. | 3/16" Aluminum Rivet - Cherry Q       | AAPQ-62     | 1        |
| 12. | 3/16" Thin Washer                     | AN960-10L   | 2        |
| 13. | Male Connector ***                    | KSPT0002    | 2        |
| 14. | Union Tee ***                         | KSPT0003    | 1        |
| 15. | 90 Degree Elbow ***                   | KSPT0006    | 2        |
| 16. | Pitot/Static Tubing ***               | KSPT0004    | 22 ft    |
| 17. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-46     | 2        |
| 18. | Safety Wire ****                      | -----       | 0        |
| 19. | 1/8" Primer Line                      | PRIMER LINE | 4 ft     |

\* Refer to 141 Wing - Bottom Skin Inspection Panel Installation

\*\* Builder Modifies


\*\*\* May be purchased separately, call RANS Parts Dept. for pricing

\*\*\*\* Builder Supplied


9/11/2018

REV. - ORIG

VENT HOLE MUST FACE  
FORWARD





\* INSTALL AFTER TANK INSTALLATION  
\*\* USE AS NEEDED TO ALIGN VENT HOLE



LEFT-HAND TANK SHOWN

INSIDE ROOT RIB



RUBBER GROMMET INSTALLED  
IN ROOT FLAP HINGE ARM

MD5649  
REV. C

# 141 WING - FUEL TANK ASSEMBLY

# RANS S-21 OUTBOUND

PAGE

006D-02

## 141 WING - FUEL TANK ASSEMBLY

| #   | DESCRIPTION                              | PART NUMBER | QUANTITY |
|-----|------------------------------------------|-------------|----------|
| 1.  | Fuel Tank                                | KPFS0112    | 2        |
| 2.  | 1/2" Tank Withdrawal Fitting - LH Thread | KPFS0117    | 4        |
| 3.  | O-Ring                                   | KSFS0009    | 4        |
| 4.  | Rubber Washer                            | KSFS0010    | 4        |
| 5.  | 1/2" Thick Washer                        | AN960-816   | 4        |
| 6.  | Nut - 1/2" Bulkhead - LH Thread          | KPFS0118    | 4        |
| 7.  | Loctite Blue *                           | -----       | 0        |
| 8.  | Thread Sealant *                         | -----       | 0        |
| 9.  | 1/8" NPT Nipple                          | KSAC0032    | 4        |
| 10. | 1/8" Coupler                             | AN910-1D    | 4        |
| 11. | 90-Degree Withdrawal Fitting             | 8342        | 4        |
| 12. | Hose Clamp - 5/8"                        | 5-6202      | 4        |
| 13. | Clear Fuel Line - 1/4"                   | KSFS0008    | 18 in    |
| 14. | 3/4" Bulkhead Fitting                    | KSFS0037    | 2        |
| 15. | O-Ring - 3/4" Bulkhead                   | KSFS0039    | 2        |
| 16. | Rubber Washer                            | KSFS0016    | 2        |
| 17. | 3/4" Thick Washer                        | AN960-1216  | 2        |
| 18. | Nut - 3/4" Bulkhead - Reverse Thread     | KSFS0038    | 2        |
| 19. | Nipple - Flared Tube & Pipe Thread       | AN816-6D    | 2        |
| 20. | 90 Degree 3/8" Hose Fitting              | 33982-6-6   | 2        |
| 21. | Hose Clamp - 7/8"                        | 5-6203      | 2        |
| 22. | Black Fuel Line - 3/8"                   | 27004       | 13 ft    |
| 23. | 1" Dia. Wood Dowel *                     | -----       | 0        |
| 24. | Fuel Vent                                | KPFS0101    | 2        |
| 25. | 3/16" Countersunk Machine Screw          | MS24694-S53 | 10       |
| 26. | Fuel Cap Assembly - Flush                | KSFS0035    | 2        |
| 27. | Pro-Seal Sealant *                       | -----       | 0        |
| 28. | Retainer Ring                            | KPWI0712    | 2        |
| 29. | Fuel Tank Support                        | KPFS0115    | 2        |
| 30. | Rubber Grommet                           | MS35489-17  | 4        |
| 31. | PRC or DOW 730 Sealant *                 | -----       | 0        |
| 32. | Fuel Sight Gauge Decal - RH              | KPPL0024-R  | 1        |
| 32. | Fuel Sight Gauge Decal - LH              | KPPL0024-L  | 1        |
| 33. | 3/8" Thick Washer                        | AN960-616   | 2        |
| 34. | 3/8" Thin Washer                         | AN960-616L  | 2        |

\* Builder Supplied

9/11/2018


REV. C

```

** ITEM #4 USED IN RH FLAP
** BUILDER MODIFIES

```

# BUILDER MODIFIES



LEFT-HAND FLAP SHOWN

RRR-141 S-21 OUTBOUND WING-FLAP ASSEMBLY

MD5649  
REV. - ORIG

141 WING - FLAP ASSEMBLY AND INSTALLATION

| #   | DESCRIPTION                     | PART NUMBER | QUANTITY |
|-----|---------------------------------|-------------|----------|
| 1.  | Flap Spar                       | KPFL0167    | 2        |
| 2.  | Flap Hinge - Part Assembly * ** | KAFL0019    | 1        |
| 3.  | Flap Push-Pull Tube Attach      | KPFL0165    | 4        |
| 4.  | Aileron / Flap Rib - RH         | KPAL0146-R  | 6        |
| 5.  | Aileron / Flap Rib - LH         | KPAL0146-L  | 6        |
| 6.  | Aileron / Flap Action Rib - LH  | KPAL0147-L  | 2        |
| 7.  | Aileron / Flap Action Rib - RH  | KPAL0147-R  | 2        |
| 8.  | Flap Skin - LH                  | KPFL0168-L  | 1        |
| 8.  | Flap Skin - RH                  | KPFL0168-R  | 1        |
| 9.  | Bronze Flange Bushing           | KSAC0071    | 8        |
| 10. | 3/16" Aluminum Rivet - Cherry Q | AAPQ-64     | 48       |
| 11. | 1/8" Aluminum Rivet - Cherry Q  | AAPQ-41     | 420      |
| 12. | Female Rod End                  | NF-3        | 2        |
| 13. | 3/16" Bolt                      | AN3-10A     | 2        |
| 14. | 3/16" Thin Washer               | AN960-10L   | 24       |
| 15. | 3/16" Shear Nut                 | AN364-1032A | 16       |
| 16. | 3/16" Plain Nut                 | AN345-10    | 4        |
| 17. | 3/16" Bolt                      | AN3-6A      | 8        |
| 18. | Flap Push-Pull Tube             | KPFL0172    | 2        |
| 19. | #10 Stainless Steel Washer      | BSHW0022    | 4        |
| 20. | 3/16" Male Rod End              | CM-3        | 4        |
| 21. | Safety Wire ***                 | ----        | 0        |
| 22. | 12' Teleflex Cable              | TELEFLEX-12 | 2        |
| 23. | 3/16" Bolt                      | AN3-7A      | 4        |


\* Builder Modifies

\*\* Individual parts may be purchased as KPFL0166

\*\*\* Builder Supplied

9/11/2018

REV. - ORIG



MD5649  
REV. B

# S-21 OUTBOUND

## 141 WING -AILERON ASSEMBLY

141 WING - AILERON ASSEMBLY AND INSTALLATION


| #   | DESCRIPTION                       | PART NUMBER | QUANTITY |
|-----|-----------------------------------|-------------|----------|
| 1.  | Aileron Spar                      | KPAL0140    | 2        |
| 2.  | Aileron Hinge                     | KPAL0144    | 4        |
| 3.  | Aileron Push-Pull Attach          | KPAL0143    | 4        |
| 4.  | Aileron / Flap Rib - RH           | KPAL0146-R  | 5        |
| 5.  | Aileron / Flap Rib - LH           | KPAL0146-L  | 5        |
| 6.  | Aileron / Flap Action Rib - LH    | KPAL0147-L  | 2        |
| 7.  | Aileron / Flap Action Rib - RH    | KPAL0147-R  | 2        |
| 8.  | Aileron Skin - LH                 | KPAL0145-L  | 1        |
| 8.  | Aileron Skin - RH                 | KPAL0145-R  | 1        |
| 9.  | Bronze Flange Bushing             | KSAC0071    | 4        |
| 10. | 3/16" Aluminum Rivet - Cherry Q   | AAPQ-64     | 28       |
| 11. | 1/8" Aluminum Rivet - Cherry Q    | AAPQ-41     | 402      |
| 12. | 3" Inspection Cover Tab Ring      | KPWI0680    | 4        |
| 13. | Tinnerman                         | A1789-8Z-1  | 12       |
| 14. | #8 Pan Head Screw                 | 8X1/2 PHS   | 12       |
| 15. | 3/16" Male Rod End                | CM-3        | 4        |
| 16. | 3/16" Plain Nut                   | AN345-10    | 4        |
| 17. | Aileron Push-Pull Tube            | KPAL0148    | 2        |
| 18. | 3/16" Thick Washer                | AN960-10    | 10       |
| 19. | 3/16" Thin Washer                 | AN960-10L   | 14       |
| 20. | Aluminum Bushing - 3/8" x .095" * | KPAC0060    | 1        |
| 21. | 3/16" Bolt                        | AN3-16A     | 2        |
| 22. | 3/16" Shear Nut                   | AN364-1032A | 8        |
| 23. | 3/16" Bolt                        | AN3-6A      | 4        |
| 24. | #10 Stainless Steel Washer        | BSHW0022    | 2        |
| 25. | 3" Inspection Cover               | KPWI0682    | 4        |
| 26. | 3/16" Bolt                        | AN3-11A     | 2        |
| 27. | Lead Shot or BB's **              | -----       | 0        |
| 28. | Expanding Foam Sealant **         | -----       | 0        |

\* Builder Modifies

\*\* Builder Supplied

9/11/2018


REV. B




MD5649  
REV. - A

**141 WING - LIFT STRUT ASSEMBLY & INSTALLATION**

| <b>#</b> | <b>DESCRIPTION</b>                     | <b>PART NUMBER</b> | <b>QUANTITY</b> |
|----------|----------------------------------------|--------------------|-----------------|
| 1.       | 1/4" Bolt                              | AN4-27A            | 8               |
| 2.       | 7/16" Bolt                             | AN7-30A            | 2               |
| 3.       | Strut Truss Fitting                    | KPLS0055           | 4               |
| 4.       | 3/16" Stainless Steel Rivet - Cherry Q | CCPQ-66            | 40              |
| 5.       | Strut Fitting Doubler                  | KPLS0053           | 8               |
| 6.       | Lift Strut                             | KPLS0054           | 2               |
| 7.       | 1/4" Thick Washer                      | AN960-416          | 8               |
| 8.       | 1/4" Shear Nut                         | AN364-428A         | 8               |
| 9.       | 7/16" Thick Washer                     | AN960-716          | 8               |
| 10.      | 7/16" Shear Nut                        | AN364-720A         | 6               |
| 11.      | 7/16" Bolt                             | AN7-20A            | 2               |
| 12.      | Lower Strut Fitting                    | KPLS0056           | 2               |
| 13.      | 7/16" Bolt                             | AN7-16A            | 2               |
| 14.      | 7/16" Thin Washer                      | AN960-716L         | 2               |



LEFT-HAND SHOWN



141 WING - UPPER LIFT STRUT FAIRING

141 WING - UPPER LIFT STRUT FAIRING

MD5649  
REV. A

# RANS S-21 OUTBOUND

PAGE

006G-04

## 141 WING - UPPER LIFT STRUT FAIRING


| #  | DESCRIPTION                   | PART NUMBER     | QUANTITY |
|----|-------------------------------|-----------------|----------|
| 1. | Upper Lift Strut Fairing - RH | KPWI0692-R      | 1        |
| 1. | Upper Lift Strut Fairing - LH | KPWI0692-L      | 1        |
| 2. | 3/16" Truss Head Screw        | AN526-C1032-R12 | 10       |
| 3. | 3/16" Rivet Nut               | MS27130-A25K    | 10       |
| 4. | Loctite Blue *                | -----           | 0        |

\* Builder Supplied


9/11/2018

REV. A

\* REFER TO OPTIONAL  
STROBE INSTALLATION



\*\* TRIMMED FROM  
WING BOTTOM SKIN



LEFT-HAND SHOWN

# 141 WING - WINGTIP ASSEMBLY

MD5649  
REV. - ORIG

141 WING - WING TIP ASSEMBLY AND INSTALLATION

| #  | DESCRIPTION               | PART NUMBER | QUANTITY |
|----|---------------------------|-------------|----------|
| 1. | Wing Tip - LH             | KPWI0685-L  | 1        |
| 1. | Wing Tip - RH             | KPWI0685-R  | 1        |
| 2. | 8-32 Nut Plate            | MS21047-08  | 16       |
| 3. | PVC Cement *              | -----       | 0        |
| 4. | Wing Tip Support Rib - LH | KPWI0686-L  | 1        |
| 4. | Wing Tip Support Rib - RH | KPWI0686-R  | 1        |
| 5. | #8 Washer                 | AN960-8     | 16       |
| 6. | 8-32 Bolt                 | KSHW0102    | 16       |
| 7. | 3/32" Aluminum Rivet      | 40APR1/8    | 32       |
| 8. | Nut Plate Support **      | KPWI0703    | 0        |

\* Builder Supplied

\*\* Trimmed from KPWI0647


9/11/2018

REV. - ORIG

# RRMS S-21 OUTBOUND 141 WING - OPTIONS AVEO STROBE INSTALLATION

MD2668  
REV. - ORIG

REFER TO STROBE INSTALLATION MANUAL FOR MORE INFORMATION  
& POTENTIAL CHANGES TO INSTALLATION PROCEDURES



# RANS S-21 OUTBOUND

PAGE

006H-04

## 141 WING - OPTIONS - AVEO STROBE INSTALLATION


| #   | DESCRIPTION                 | PART NUMBER | QUANTITY |
|-----|-----------------------------|-------------|----------|
| 1.  | Electrical Buss Bar * **    | AMW 636     | 0        |
| 2.  | 18 Gauge Wire *             | -----       | 0        |
| 3.  | Circuit Breaker - 5 amp *   | -----       | 0        |
| 4.  | Circuit Breaker - 5 amp *   | -----       | 0        |
| 5.  | Switch *                    | -----       | 0        |
| 6.  | 3/16" Nut Plate             | K-1000-3    | 2        |
| 7.  | 3/32" Aluminum Rivet        | 40APR1/4    | 4        |
| 8.  | Strobe Light Set - AVEO     | KSES0059    | 1 set    |
| 9.  | 10-32 Socket Head Cap Screw | KSHW0115    | 2        |
| 10. | Strobe Light Mount - AVEO   | KPWI0541    | 2        |

\* Builder Supplied

\*\* May be purchased seperately, call RANS Parts Dept. for pricing

9/11/2018

REV. - ORIG



RIGHT HAND FORWARD WING SPAR SHOWN

# REFINISH S-21 OUTBOUND 141 WING - OPTIONS LANDING LIGHTS INSTALLATION

# RANS S-21 OUTBOUND

PAGE

006H-06


## 141 WING - OPTIONS - LANDING LIGHTS INSTALLATION

KAAC0109

| #   | DESCRIPTION                    | PART NUMBER | QUANTITY |
|-----|--------------------------------|-------------|----------|
| 1.  | Landing Light                  | KSES0077    | 2        |
| 2.  | Landing Light Mount - LH       | KPWI0704-L  | 2        |
| 3.  | Landing Light Mount - RH       | KPWI0704-R  | 2        |
| 4.  | Landing Light Lens             | KPWI0705    | 2        |
| 5.  | 1/8" Aluminum Rivet - Cherry Q | AAPQ-43     | 16       |
| 6.  | 3/16" Bolt                     | AN3-3A      | 4        |
| 7.  | 3/16" Thick Washer             | AN960-10    | 8        |
| 8.  | 3/16" Star Lock Washer         | MS35333-39  | 4        |
| 9.  | Silicone Seal *                | -----       | 0        |
| 10. | Loctite Blue *                 | -----       | 0        |
| 11. | Landing Light Cut-Out Template | KPWI0708    | 1        |

\* Builder Supplied

9/11/2018  
REV. - ORIG



# REFINISH S-21 OUTBOUND 141 WING - ROOT SEAL INSTALLATION

MD5649  
REV. B

# RANS S-21 OUTBOUND

PAGE

006I-02

## 141 WING - ROOT SEAL INSTALLATION


| #   | DESCRIPTION                    | PART NUMBER | QUANTITY |
|-----|--------------------------------|-------------|----------|
| 1.  | Wing Root Bottom Gap Seal - RH | KPWI0690-R  | 1        |
| 1.  | Wing Root Bottom Gap Seal - LH | KPWI0690-L  | 1        |
| 2.  | Tinnerman                      | A1789-8Z-1  | 18       |
| 3.  | 1/2" Black Foam Tape *         | -----       | 0        |
| 4.  | #8 Pan Head Screw              | 8X1/2 PHS   | 18       |
| 5.  | Flap Gap Seal - LH             | KPWI0691-L  | 1        |
| 5.  | Flap Gap Seal - RH             | KPWI0691-R  | 1        |
| 6.  | 6-32 Pan Head Machine Screw    | MS35206-228 | 2        |
| 7.  | 6-32 Single-Ear Nut Plate      | K-2000-06   | 2        |
| 8.  | 8-32 Nut Plate                 | MS21047-08  | 6        |
| 9.  | 8-32 Machine Screw             | AN526-832R6 | 6        |
| 10. | 3/32" Aluminum Rivet           | 40APR1/8    | 16       |

\* Builder Supplied


9/11/2018

REV. A

STATION 4



STATION 5



REF ID: A12345 S-21 OUTBOUND  
FUSELAGE - STATION 4 & 5 - BULKHEAD ASSEMBLY

MD5651  
REV. - ORIG

# RANS S-21 OUTBOUND


PAGE

007-02

## FUSELAGE - STATION 4 & 5 - BULKHEAD ASSEMBLY

| #   | DESCRIPTION                    | PART NUMBER | QUANTITY |
|-----|--------------------------------|-------------|----------|
| 1.  | S-4 Bulkhead - RH              | KPFU0707-R  | 1        |
| 2.  | S-4 Bulkhead - LH              | KPFU0707-L  | 1        |
| 3.  | S-4 Top Doubler                | KPFU0724    | 1        |
| 4.  | S-4 Lower Doubler              | KPFU0723    | 1        |
| 5.  | 1/8" Aluminum Rivet - Cherry Q | AAPQ-42     | 74       |
| 6.  | S-5 Bulkhead - RH              | KPFU0728-R  | 1        |
| 7.  | S-5 Bulkhead - LH              | KPFU0728-L  | 1        |
| 8.  | S-5 Top Doubler                | KPFU0730    | 1        |
| 9.  | S-5 Lower Doubler              | KPFU0729    | 1        |
| 10. | 3/4" Rubber Grommet            | MS35489-11  | 2        |


STATION 6



\* SEPARATE AND ORIENTATE NOTCH TO TOP  
\*\* REPLACED BY KPAC0038 ON TAILDRAGGER,  
REFER TO RUDDER SYSTEM INSTALLATION

STATION 8

ONLY RIGHT SIDE  
OF RUDDER PULLEY SYSTEM  
SHOWN FOR CLARITY



# REPAIR S-21 OUTBOUND FUSELAGE - STATION 6 & 8 - BULKHEAD ASSEMBLY

MD5651  
REV. - ORIG

FUSELAGE - STATION 6 & 8 - BULKHEAD ASSEMBLY


| #   | DESCRIPTION                               | PART NUMBER | QUANTITY |
|-----|-------------------------------------------|-------------|----------|
| 1.  | S-6 Bulkhead - Upper                      | KPFU0705    | 1        |
| 2.  | S-6 Bulkhead - Lower                      | KPFU0706    | 1        |
| 3.  | S-6 Doubler *                             | KPFU0725    | 1        |
| 4.  | 1/8" Aluminum Rivet - Cherry Q            | AAPQ-42     | 36       |
| 5.  | S-8 Doubler                               | KPFU0716    | 1        |
| 6.  | S-8 Bulkhead                              | KPFU0704    | 1        |
| 7.  | 1/8" Aluminum Rivet - Cherry Q            | AAPQ-43     | 27       |
| 8.  | Aluminum Bushing - 3/8" x .095" x .15" ** | KPAC0060    | 1        |
| 9.  | 3/16" Tensile Nut                         | AN365-1032A | 2        |
| 10. | 3/16" Shear Nut                           | AN364-1032A | 4        |
| 11. | 3/16" Bolt                                | AN3-7A      | 4        |
| 12. | 3/16" Thick Washer                        | AN960-10    | 4        |
| 13. | 3/16" Bolt                                | AN3-3A      | 2        |
| 14. | Small Pulley                              | AN210-1A    | 2        |
| 15. | U-Bracket                                 | RL-205-T    | 2        |
| 16. | Pulley Shackle                            | KPCS0309    | 2        |
| 17. | Rudder Cable Assembly                     | KPCS0307    | 2        |
| 18. | Elevator Push-Pull Tube Guide             | KPFU0756    | 1        |

\* Builder modifies to make LH / RH parts

\*\* Builder Modifies

9/11/2018

REV. - ORIG



**REF ID: A12345**  
**S-21 OUTBOUND**  
**FUSELAGE - STATION 9 - BULKHEAD ASSEMBLY**

MD5651  
REV. - ORIG


# RANS S-21 OUTBOUND

PAGE

007-06

## FUSELAGE - STATION 9 - BULKHEAD ASSEMBLY

| #  | DESCRIPTION                    | PART NUMBER | QUANTITY |
|----|--------------------------------|-------------|----------|
| 1. | S-9 Bulkhead                   | KPFU0702    | 1        |
| 2. | S-9 Bulkhead Doubler           | KPFU0703    | 1        |
| 3. | 1/8" Aluminum Rivet - Cherry Q | AAPQ-43     | 42       |
| 4. | FWD Attach Block               | KPFU0697    | 1        |
| 5. | 3/16" Thin Washer              | AN960-10L   | 4        |
| 6. | 3/16" Bolt                     | AN3-5A      | 4        |
| 7. | 3/16" Shear Nut                | AN364-1032A | 4        |





**REFINISH S-21 OUTBOUND  
FUSELAGE - STATION 10 - BULKHEAD ASSEMBLY**





MD5651  
REV. - ORIG

FUSELAGE - STATION 10 - BULKHEAD ASSEMBLY

| #   | DESCRIPTION                                   | PART NUMBER | QUANTITY |
|-----|-----------------------------------------------|-------------|----------|
| 1.  | S-10 Bulkhead                                 | KPFU0701    | 1        |
| 2.  | S-10 Bulkhead Doubler - FWD                   | KPFU0727    | 1        |
| 3.  | S-10 Bulkhead Doubler - AFT                   | KPFU0726    | 1        |
| 4.  | 1/8" Aluminum Rivet - Cherry Q                | AAPQ-43     | 32       |
| 5.  | Horizontal Stabilizer Incidence Adjustor - LH | KPHS0091-L  | 1        |
| 6.  | Horizontal Stabilizer Incidence Adjustor - RH | KPHS0091-R  | 1        |
| 7.  | 3/16" Bolt                                    | AN3-5A      | 4        |
| 8.  | 3/16" Thin Washer                             | AN960-10L   | 4        |
| 9.  | 3/16" Shear Nut                               | AN364-1032A | 4        |
| 10. | 3/16" Socket Head Cap Screw                   | KSHW0109    | 4        |
| 11. | 1/4" Socket Head Cap Screw                    | KSHW0110    | 2        |



STRINGER &amp; LONGERON ORIENTATION




AFT TAILCONE  
ACCESS COVER  
ASSEMBLY

\*DO NOT RIVET FORWARD END OF  
STRINGERS UNTIL MATED TO FUSELAGE  
CAGE & FUSELAGE BOTTOM SKIN

## BUILDER MODIFIES

RRRN03 S-21 OUTBOUND  
FUSELAGE - TAILCONE - BOTTOM SKIN ASSEMBLY



FUSELAGE - TAILCONE - BOTTOM SKIN ASSEMBLY

| #   | DESCRIPTION                          | PART NUMBER | QUANTITY |
|-----|--------------------------------------|-------------|----------|
| 1.  | S-11 Bulkhead                        | KPFU0732    | 1        |
| 2.  | Station 10 Bulkhead Assembly *       | -----       | 0        |
| 3.  | Station 9 Bulkhead Assembly *        | -----       | 0        |
| 4.  | Station 8 Bulkhead Assembly *        | -----       | 0        |
| 5.  | S-7 Bulkhead                         | KPFU0731    | 1        |
| 6.  | Station 6 Bulkhead Assembly *        | -----       | 0        |
| 7.  | Station 5 Bulkhead Assembly *        | -----       | 0        |
| 8.  | Station 4 Bulkhead Assembly *        | -----       | 0        |
| 9.  | Tailcone Access Cover Tab Ring - AFT | KPFU0736    | 1        |
| 10. | Tailcone Access Cover Tab Ring - FWD | KPFU0746    | 2        |
| 11. | Tailcone Access Cover - AFT          | KPFU0735    | 1        |
| 12. | Tailcone Access Cover - FWD          | KPFU0747    | 2        |
| 13. | Bottom Skin - Tailcone **            | KPFU0711    | 1        |
| 14. | Lower Longeron - RH                  | KPFU0709-R  | 1        |
| 15. | Lower Longeron - LH                  | KPFU0709-L  | 1        |
| 16. | Tailcone & Wing Stringer **          | KPFU0743    | 12       |
| 17. | AFT Horizontal Stabilizer Mount      | KPFU0733    | 1        |
| 18. | 1/8" Aluminum Rivet - Cherry Q       | AAPQ-43     | 51       |
| 19. | 1/8" Aluminum Rivet - Cherry Q       | AAPQ-41     | 144      |
| 20. | 8-32 Nut Plate                       | MS21047-08  | 30       |
| 21. | 3/32" Aluminum Rivet                 | 40APR1/8    | 60       |
| 22. | 8-32 Machine Screw                   | AN526-832R6 | 30       |
| 23. | 1/8" Aluminum Rivet - Cherry Q       | AAPQ-42     | 197      |
| 24. | S-3 to S-4 Support - R               | KPFU0708-R  | 1        |
| 25. | S-3 to S-4 Support - L               | KPFU0708-L  | 1        |
| 26. | Stiffener Angle - Tailcone **        | KPFU0748    | 1        |
| 27. | 1/8" Aluminum Rivet - Flush ***      | AACQ-42     | 2        |
| 28. | 1/8" Aluminum Rivet - Cherry Q ***   | AAPQ-41     | 4        |
| 29. | Tailwheel Cable Pulley Mount ** **** | KPFU0754    | 1        |
| 30. | 1/8" Aluminum Rivet - Cherry Q ****  | AAPQ-42     | 12       |
| 31. | 1/8" Aluminum Rivet - Cherry Q ****  | AAPQ-43     | 4        |
| 32. | 1/8" Aluminum Rivet - Avex           | 1691-0410   | 235      |

\* Refer to respective Bulkhead Assembly Parts pages

\*\* Builder Modifies

\*\*\* Trike only - Supplied with Trike Gear Kit


\*\*\*\* Taildragger Only - Supplied with Taildragger Gear Kit

9/11/2018

REV. C

STATION 7  
BULKHEAD

STATION 8  
BULKHEAD



**REVISIONS S-21 OUTBOUND**

**FUSELAGE - OPTIONS - GARMIN GMU11 MAGNETOMETER MOUNT**

MD5651  
REV. - ORIG

# RANS S-21 OUTBOUND

PAGE

007A-04

## FUSELAGE - OPTIONS - GARMIN GMU11 MAGNETOMETER MOUNT


KAAV0004

| #  | DESCRIPTION                        | PART NUMBER | QUANTITY |
|----|------------------------------------|-------------|----------|
| 1. | #6 Stainless Steel Machine Screw * | ----        | 0        |
| 2. | GARMIN GMU11 Magnetometer * **     | ----        | 0        |
| 3. | Magnetometer Mount (Garmin GMU11)  | KPFU0763    | 1        |
| 4. | 3/32" Aluminum Rivet               | 40APR1/8    | 8        |
| 5. | 6-32 Single-Ear Nut Plate          | K-2000-06   | 4        |
| 6. | 1/8" Aluminum Rivet - Cherry Q     | AAPQ-42     | 3        |
| 7. | 1/8" Aluminum Rivet - Cherry Q     | AAPQ-41     | 8        |

\* Supplied with Garmin GMU11

\*\* Builder Supplied

9/11/2018  
REV. - ORIG



**S-21 OUTBOUND**  
**FUSELAGE - TAILCONE - SIDE & TOP SKIN ASSEMBLY**


MD5651  
REV. F

FUSELAGE - TAILCONE - SIDE & TOP SKIN ASSEMBLY

| #   | DESCRIPTION                           | PART NUMBER | QUANTITY |
|-----|---------------------------------------|-------------|----------|
| 1.  | S-10/11 Closeout                      | KPFU0765    | 1        |
| 2.  | Tailcone & Wing Stringer *            | KPFU0743    | 0        |
| 3.  | Top Skin - Tailcone - LH              | KPFU0699-L  | 1        |
| 4.  | Top Skin - Tailcone - RH              | KPFU0699-R  | 1        |
| 5.  | Side Longeron - LH                    | KPFU0710-L  | 1        |
| 6.  | Side Longeron - RH                    | KPFU0710-R  | 1        |
| 7.  | Side Skin - Tailcone                  | KPFU0700    | 2        |
| 8.  | Stiffener Angle - Tailcone *          | KPFU0748    | 0        |
| 9.  | Window Retainer - Tailcone            | KPFU0738    | 2        |
| 10. | Window - Tailcone                     | KPFU0770    | 2        |
| 11. | S-10/11 Closeout Angle                | KPFU0764    | 1        |
| 12. | Top FWD Skin - Tailcone - LH          | KPFU0698-L  | 1        |
| 13. | Top FWD Skin - Tailcone - RH          | KPFU0698-R  | 1        |
| 14. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-41     | 259      |
| 15. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-42     | 392      |
| 16. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-43     | 29       |
| 17. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-44     | 13       |
| 18. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-43     | 6        |
| 19. | 1/8" Aluminum Rivet - Avex            | 1691-0410   | 494      |

\* Builder Modifies

STATION 11 BULKHEAD ASSEMBLY NOT SHOWN FOR CLARITY  
LEFT SIDE INSTALL SHOWN,  
TYPICAL FOR RIGHT SIDE AND BOTTOM.



# RANS S-21 OUTBOUND

PAGE


007B-04

## FUSELAGE - TAILCONE - AFT CLOSEOUT INSTALLATION

| #  | DESCRIPTION                        | PART NUMBER  | QUANTITY |
|----|------------------------------------|--------------|----------|
| 1. | Tailcone AFT Closeout              | KPFU0757     | 1        |
| 2. | Aft Closeout Reinforcement Strip * | KPFU0760     | 1        |
| 3. | 8-32 Nut Plate                     | MS21047-08   | 7        |
| 4. | 8-32 Machine Screw                 | AN526-832R10 | 7        |
| 5. | 3/32" Aluminum Rivet               | 40APR1/8     | 14       |

\* Builder Modifies

9/11/2018  
REV. - ORIG



FUSELAGE - SKINS AND TAILCONE MATING INSTALLATION


| #   | DESCRIPTION                           | PART NUMBER | QUANTITY |
|-----|---------------------------------------|-------------|----------|
| 1.  | Tailcone Spacer Strip                 | KPFU0749    | 4        |
| 2.  | Fuselage Side Skin - Rear - RH        | KPFU0713-R  | 1        |
| 3.  | Fuselage Side Skin - Rear - LH        | KPFU0713-L  | 1        |
| 4.  | Fuselage Side Skin - Front - RH       | KPFU0712-R  | 1        |
| 5.  | Fuselage Side Skin - Front - LH       | KPFU0712-L  | 1        |
| 6.  | Fuselage Stringer *                   | KPFU0767    | 13       |
| 7.  | Fuselage Bottom Skin                  | KPFU0745    | 1        |
| 9.  | S-21 Fuselage Cage Assembly           | KAFU0062    | 1        |
| 10. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-41     | 66       |
| 11. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-42     | 74       |
| 12. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-42     | 25       |
| 13. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-43     | 6        |
| 14. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-44     | 12       |
| 15. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-45     | 12       |
| 16. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-43     | 9        |
| 17. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-41     | 14       |
| 18. | 1/8" Aluminum Rivet - Flush           | AACQ-42     | 20       |
| 19. | 1/2" 3M VHB Tape **                   | -----       | 0        |

\* Builder Modifies

\*\* Builder Supplied

9/11/2018

REV. A



REF ID: A12345 S-21 OUTBOUND  
TAILDRAGGER - MAIN GEAR INSTALLATION

MD5581  
REV. - ORIG

# RANS S-21 OUTBOUND


PAGE

008-02

## TAILDRAGGER - MAIN GEAR INSTALLATION

### TAILDRAGGER ONLY

| #   | DESCRIPTION                  | PART NUMBER | QUANTITY |
|-----|------------------------------|-------------|----------|
| 1.  | 3/8" Tensile Nut             | AN365-624A  | 2        |
| 2.  | 3/8" Thin Washer             | AN960-616L  | 2        |
| 3.  | 3/8" Bolt                    | AN6-31A     | 2        |
| 4.  | 5/16" Tensile Nut            | AN365-524A  | 4        |
| 5.  | 5/16" Thick Washer           | AN960-516   | 4        |
| 6.  | Top Main Gear Clamp Plate    | KPMG0206    | 2        |
| 7.  | Gear Leg -Tall - RH          | KPMG0227-R  | 1        |
| 7.  | Gear Leg - Tall - LH         | KPMG0227-L  | 1        |
| 8.  | Landing Gear Spacer Bushing  | KPMG0179    | 4        |
| 9.  | Main Gear Anti-chafe Strip   | KPMG0216    | 2        |
| 10. | Bottom Main Gear Clamp Plate | KPMG0208    | 2        |
| 11. | 5/16" Bolt                   | AN5-32A     | 2        |
| 12. | 3/8" Thick Washer            | AN960-616   | 6        |
| 13. | 5/16" Bolt                   | AN5-40A     | 2        |
| 14. | 5/16" Thin Washer            | AN960-516L  | 4        |



RETURN S-21 OUTBOUND

TAILDRAGGER - WHEEL AND BRAKE INSTALLATION

MD5581  
REV. C

# RANS S-21 OUTBOUND

PAGE

008-04

## TAILDRAGGER - WHEEL & BRAKE INSTALLATION



### TAILDRAGGER ONLY

| #  | DESCRIPTION                                   | PART NUMBER | QUANTITY |
|----|-----------------------------------------------|-------------|----------|
| 1. | 3/8" Tensile Nut                              | AN365-624A  | 4        |
| 2. | 3/8" Thin Washer                              | AN960-616L  | 4        |
| 3. | 3/8" Bolt                                     | AN6-26A     | 4        |
| 4. | 5/16" Tensile Nut                             | AN365-524A  | 4        |
| 5. | 5/16" Thin Washer                             | AN960-516L  | 4        |
| 6. | Hyd Brake Assy - 6" Dual Piston               | KSBS0050    | 2        |
| 7. | 5/16" Bolt                                    | AN5-25A     | 4        |
| 8. | 45-degree Elbow - Flare 1/4" Tube to 1/8" NPT | AN823-4D    | 2        |
| 9. | Thread Sealant *                              | -----       | 0        |

\* Builder Supplied

9/11/2018

REV. C



# REDLINE S-21 OUTBOUND TAILDRAGGER - 6" TIRES

MD5581  
REV. B

# RANS S-21 OUTBOUND

PAGE

008-06

## TAILDRAGGER - 6" TIRES

### TAILDRAGGER ONLY


| #  | DESCRIPTION                                                | PART NUMBER | QUANTITY |
|----|------------------------------------------------------------|-------------|----------|
| 1. | 22" 850-6 Smooth Tundra Tire                               | KSMG0030    | 2        |
| 2. | Optional - 850-6 Tundra Tube * (-2 KSBS0043)               | KSMG0031    | 2        |
| 3. | 26" Alaskan Tire - OPTIONAL (-2 KSMG0030 & -2 KSBS0031) *  | KSMG0028    | 2        |
| 4. | Grommet Plug                                               | 9K13-DRBUMP | 2        |
| 5. | Adhesive - Superglue **                                    | -----       | 0        |
| 6. | Rubber Grommet                                             | MS35489-6   | 2        |
| 7. | Optional - MATCO Tubeless Kit for 6" Wheel * (-2 KSMG0031) | KSBS0043    | 2        |

\* May be purchased separately, call RANS Parts Dept. for pricing

\*\* Builder Supplied

9/11/2018

REV. B



REVISED S-21 OUTBOUND

TAILDRAGGER - 8" TAILWHEEL INSTALLATION

MD4170  
REV. - ORIG

# RANS S-21 OUTBOUND

PAGE

008-08

## TAILDRAGGER - 8" TAILWHEEL INSTALLATION

### TAILDRAGGER ONLY

| #   | DESCRIPTION                               | PART NUMBER  | QUANTITY |
|-----|-------------------------------------------|--------------|----------|
| 1.  | 8" Pneumatic Tailwheel Assembly           | KATG0006     | 1        |
| 2.  | Tailwheel *                               | KSTG0010     | 0        |
| 3.  | Tailwheel - Fork *                        | KPTG0039     | 0        |
| 4.  | Tailwheel - Swivel Block *                | KPTG0003     | 0        |
| 5.  | Tailwheel - Steer Horn *                  | KPTG0004     | 0        |
| 6.  | Socket Head Cap Screw *                   | KSHW0058     | 0        |
| 7.  | Grease Fitting *                          | 11-151       | 0        |
| 8.  | Spacer Bushing - 3/4" X .058" Alum Tube * | -----        | 0        |
| 9.  | Tailwheel - Spring Channel *              | KPTG0007     | 0        |
| 10. | 3/8" Thick Washer *                       | AN960-616    | 0        |
| 11. | 3/8" Tensile Loc Nut *                    | AN363-624A   | 0        |
| 12. | Large Cotter Pin *                        | MS24665-285  | 0        |
| 13. | 1/2" Castle Nut *                         | AN320-8      | 0        |
| 14. | 1/2" Thick Washer *                       | MS27183-17   | 0        |
| 15. | Tailwheel - Tension Spring *              | KSTG0003     | 0        |
| 16. | Tailwheel - Tension Key *                 | KPTG0006     | 0        |
| 17. | Tailwheel - Spring Pin *                  | T19-094-0625 | 0        |
| 18. | Axle *                                    | KPTG0040     | 0        |
| 19. | 3/16" Large Washer *                      | AN970-3      | 0        |
| 20. | 3/16" Bolt *                              | AN3-3A       | 0        |
| 21. | S-Hook - Steer Horn                       | TW-SHOOK     | 2        |
| 22. | Chain - Steer Horn **                     | TW-C         | 1        |
| 23. | Spring - Steer Horn                       | TW-S-SPR     | 2        |
| 24. | 3/16" Tensile Nut                         | AN365-1032A  | 2        |
| 25. | 5/16" Tensile Nut                         | AN365-524A   | 1        |
| 26. | 3/16" Thick Washer                        | AN960-10     | 2        |
| 27. | 5/16" Thick Washer                        | AN960-516    | 3        |
| 28. | 5/16" Bolt                                | AN5-16A      | 1        |
| 29. | Tail Spring                               | KPTG0042     | 1        |
| 30. | Tailspring - AFT Lower Saddle Block       | KPTG0041     | 1        |
| 31. | 5/16" Thin Washer                         | AN960-516L   | 2        |
| 32. | Loctite Blue ***                          | -----        | 0        |
| 33. | 3/16" Bolt                                | AN3-17A      | 2        |
| 34. | Gear Strap                                | KPTG0036     | 1        |
| 35. | 1/4" Shear Nut                            | AN364-428A   | 2        |
| 36. | 1/4" Thick Washer                         | AN960-416    | 2        |
| 37. | 1/4" Eyebolt                              | AN43B-5A     | 2        |
| 38. | Tailspring - AFT Attach Block             | KPFU0739     | 1        |
| 39. | 3/16" Bolt                                | AN3-10A      | 4        |
| 40. | 3/16" Shear Nut                           | AN364-1032A  | 4        |
| 41. | 3/16" Thin Washer                         | AN960-10L    | 4        |
| 42. | Tailwheel Channel Shim                    | KPTG0043     | 1        |

\* Part of 8" Pneumatic Tailwheel Assembly (KATG0006).


\*\* Builder Modifies

\*\*\* Builder Supplied

9/11/2018

REV. - ORIG

REFER TO 8" TAILWHEEL INSTALLATION FOR COMPLETE INSTALLATION DETAILS



# REFERENCE S-21 OUTBOUND TAILDRAGGER - OPTIONS - 10" TAILWHEEL INSTALLATION

MD4170  
REV. A

MD4170

# RANS S-21 OUTBOUND

PAGE

008-10

## TAILDRAGGER - OPTIONS - 10" TAILWHEEL INSTALLATION

### TAILDRAGGER ONLY

| #   | DESCRIPTION                               | PART NUMBER  | QUANTITY |
|-----|-------------------------------------------|--------------|----------|
| 1.  | 10" Pneumatic Tailwheel Assembly - OPTION | KATG0008     | 1        |
| 2.  | Tailwheel *                               | KSTG0012     | 0        |
| 3.  | Tailwheel - Fork *                        | KPTG0056     | 0        |
| 4.  | Tailwheel - Swivel Block *                | KPTG0003     | 0        |
| 5.  | Tailwheel - Steer Horn *                  | KPTG0004     | 0        |
| 6.  | Socket Head Cap Screw *                   | KSHW0058     | 0        |
| 7.  | Grease Fitting *                          | 11-151       | 0        |
| 8.  | Spacer Bushing - 3/4" X .058" Alum Tube * | ----         | 0        |
| 9.  | Tailwheel - Spring Channel *              | KPTG0007     | 0        |
| 10. | 3/8" Thick Washer *                       | AN960-616    | 0        |
| 11. | 3/8" Tensile Loc Nut *                    | AN363-624A   | 0        |
| 12. | Large Cotter Pin *                        | MS24665-285  | 0        |
| 13. | 1/2" Castle Nut *                         | AN320-8      | 0        |
| 14. | 1/2" Thick Washer *                       | MS27183-17   | 0        |
| 15. | Tailwheel - Tension Spring *              | KSTG0003     | 0        |
| 16. | Tailwheel - Tension Key *                 | KPTG0006     | 0        |
| 17. | Tailwheel - Spring Pin *                  | T19-094-0625 | 0        |
| 18. | Axle *                                    | KPTG0058     | 0        |
| 19. | 3/16" Large Washer *                      | AN970-3      | 0        |
| 20. | 3/16" Bolt *                              | AN3-3A       | 0        |
| 22. | Chain - Steer Horn **                     | TW-C         | 1        |
| 23. | Loctite Blue ***                          | ----         | 0        |
| 24. | Tailwheel Channel Shim                    | KPTG0043     | 1        |


\* Part of Optional 10" Pneumatic Tailwheel Assembly (KATG0008).

\*\* Builder Modifies

\*\*\* Builder Supplied

9/11/2018

REV. A



# REFUND S-21 OUTBOUND TRIKE - MAIN GEAR INSTALLATION

MD55581  
REV. A

# RANS S-21 OUTBOUND

PAGE

008A-02

## TRIKE - MAIN GEAR INSTALLATION

### TRIKE ONLY


| #   | DESCRIPTION                             | PART NUMBER | QUANTITY |
|-----|-----------------------------------------|-------------|----------|
| 1.  | Landing Gear Spacer Bushing             | KPMG0179    | 4        |
| 2.  | Top Main Gear Clamp Plate               | KPMG0206    | 2        |
| 3.  | 5/16" Thick Washer                      | AN960-516   | 4        |
| 4.  | 5/16" Bolt                              | AN5-32A     | 2        |
| 5.  | 3/8" Thick Washer                       | AN960-616   | 6        |
| 6.  | 3/8" Tensile Nut                        | AN365-624A  | 2        |
| 7.  | Gear Leg - Short - LH * (-1 KPMG0227-L) | KPMG0228-L  | 1        |
| 7.  | Gear Leg - Short - RH * (-1 KPMG0227-R) | KPMG0228-R  | 1        |
| 8.  | Bottom Main Gear Clamp Plate            | KPMG0208    | 2        |
| 9.  | 5/16" Tensile Nut                       | AN365-524A  | 4        |
| 10. | 3/8" Thin Washer                        | AN960-616L  | 2        |
| 11. | 3/8" Bolt                               | AN6-31A     | 2        |
| 12. | Main Gear Anti-chafe Strip              | KPMG0216    | 2        |
| 13. | 5/16" Bolt                              | AN5-40A     | 2        |
| 14. | 5/16" Thin Washer                       | AN960-516L  | 4        |
| 15. | Gear Leg - Tall - RH ** (-1 KPMG0228-R) | KPMG0227-R  | 1        |
| 15. | Gear Leg - Tall - LH ** (-1 KPMG0228-L) | KPMG0227-L  | 1        |

\* Standard Trike only

\*\* Tundra Trike Only

9/11/2018

REV. A



# REDLINE S-21 OUTBOUND TRIKE - STANDARD - WHEEL AND BRAKE INSTALLATION

# RANS S-21 OUTBOUND

PAGE

008A-04

## TRIKE - STANDARD - WHEEL AND BRAKE INSTALLATION

### TRIKE ONLY

| #   | DESCRIPTION                                                | PART NUMBER | QUANTITY |
|-----|------------------------------------------------------------|-------------|----------|
| 1.  | 3/8" Bolt                                                  | AN6-26A     | 4        |
| 2.  | 5/16" Bolt                                                 | AN5-25A     | 4        |
| 3.  | Hyd Brake Assy - 6" Dual Piston                            | KSBS0050    | 2        |
| 4.  | 600 x 6 Tire                                               | KSMG0008    | 2        |
| 5.  | Optional - 600 x 6 Tube * (-2 KSBS0043)                    | KSMG0034    | 2        |
| 6.  | 45-degree Elbow - Flare 1/4" Tube to 1/8" NPT              | AN823-4D    | 2        |
| 7.  | 5/16" Thin Washer                                          | AN960-516L  | 4        |
| 8.  | 3/8" Thin Washer                                           | AN960-616L  | 4        |
| 9.  | 5/16" Tensile Nut                                          | AN365-524A  | 4        |
| 10. | 3/8" Tensile Nut                                           | AN365-624A  | 4        |
| 11. | Thread Sealant **                                          | -----       | 0        |
| 12. | Optional - MATCO Tubeless Kit for 6" Wheel * (-2 KSMG0034) | KSBS0043    | 2        |

\* May be purchased seperately, call RANS Parts Dept. for pricing

\*\* Builder Supplied

9/11/2018

REV. C



# RANS S-21 OUTBOUND

PAGE

008A-04B

## TRIKE - OPTIONS - TUNDRA - WHEEL AND BRAKE INSTALLATION

TRIKE ONLY KAAC0110

| #   | DESCRIPTION                                                 | PART NUMBER | QUANTITY |
|-----|-------------------------------------------------------------|-------------|----------|
| 1.  | 3/8" Tensile Nut                                            | AN365-624A  | 4        |
| 2.  | 3/8" Thin Washer                                            | AN960-616L  | 4        |
| 3.  | 3/8" Bolt                                                   | AN6-26A     | 4        |
| 4.  | 5/16" Tensile Nut                                           | AN365-524A  | 4        |
| 5.  | 5/16" Thin Washer                                           | AN960-516L  | 4        |
| 6.  | Hyd Brake Assy-6" Dual Piston                               | KSBS0050    | 2        |
| 7.  | 5/16" Bolt                                                  | AN5-25A     | 4        |
| 8.  | 45-degree Elbow - Flare 1/4" Tube to 1/8" NPT               | AN823-4D    | 2        |
| 9.  | Thread Sealant *                                            | -----       | 0        |
| 10. | Optional - 850-6 Tundra Tube** (-2 KSBS0043)                | KSMG0031    | 2        |
| 11. | 22" 850-6 Smooth Tundra Tire                                | KSMG0030    | 2        |
| 12. | Optional - MATCO Tubeless Kit for 6" Wheels ** (-2 KSMG0031 | KSBS0043    | 2        |


\* Builder Supplied

\*\* May be purchased seperately, call RANS Parts Dept. for pricing

9/11/2018

REV. B

RRMS S-21 OUTBOUND

MD5085  
REV. A

# RANS S-21 OUTBOUND

PAGE

008A-06

## TRIKE - STANDARD - NOSE GEAR INSTALLATION

### TRIKE ONLY

| #   | DESCRIPTION                 | PART NUMBER  | QUANTITY |
|-----|-----------------------------|--------------|----------|
| 1.  | 1/4" Bolt - Close Tolerance | NAS6604-25   | 1        |
| 2.  | 1/4" Thin Washer            | AN960-416L   | 6        |
| 3.  | 1/4" Thick Washer           | AN960-416    | 6        |
| 4.  | 1/4" Tensile Nut            | AN365-428A   | 6        |
| 5.  | Nose Gear                   | KPNG0090     | 1        |
| 6.  | Nose Gear Collar            | KPNG0087     | 1        |
| 7.  | 1/4" Bolt - Close Tolerance | NAS6604-23   | 1        |
| 8.  | Nose Gear Spacer Bushing *  | KPNG0108     | 1        |
| 9.  | Nose Wheel - 5"             | KSNG0009     | 1        |
| 10. | Tire - 5"                   | KSMG0005     | 1        |
| 11. | Tire Tube - 5"              | KSMG0014     | 1        |
| 12. | Axle - Nose Wheel           | KPNG0110     | 1        |
| 13. | 5/16" Sockethead Capscrew   | KSHW0083     | 2        |
| 14. | Loctite Blue **             | -----        | 0        |
| 15. | 1/4" Bolt                   | AN4-35A      | 4        |
| 16. | 5/16" Thick Washer          | AN960-516    | 6        |
| 17. | Nose Gear Fork Assembly     | KANG0020     | 1        |
| 18. | Grease Fitting              | 11-151       | 1        |
| 19. | Axle Block - Nose Gear      | KPNG0106     | 2        |
| 20. | 1/4 " Plain Bolt            | 1/4 X 1 BOLT | 2        |
| 21. | 1 1/4" Washer               | AN960-2016   | 1        |
| 22. | Spring Washer               | KSHW0084     | 2        |
| 23. | 1 1/4" Castle Nut           | MS21025-20   | 1        |
| 24. | Cotter Pin - Large          | MS24665-360  | 1        |
| 25. | Nose Gear Clamp Block       | KPNG0104     | 1        |
| 26. | 1/4" U-bolt                 | KSHW0107     | 1        |
| 27. | 1/4" Course Thread Nut      | KSHW0108     | 2        |
| 28. | 5/16" Bolt                  | AN5-34A      | 2        |
| 29. | 5/16" Tensile Nut           | AN365-524A   | 2        |


\* Builder Modifies

\*\* Builder Supplied

9/11/2018

REV. A

REFER TO STANDARD NOSE GEAR INSTALLATION FOR ADDITIONAL MOUNTING INFORMATION



Front S-21 OUTBOUND  
TRIKE - OPTIONS - TUNDRA  
NOSE FORK INSTALLATION

# RANS S-21 OUTBOUND

PAGE

008A-06B

## TRIKE - OPTIONS - TUNDRA - NOSE FORK INSTALLATION

TRIKE ONLY KAAC0110

| #   | DESCRIPTION                                                  | PART NUMBER  | QUANTITY |
|-----|--------------------------------------------------------------|--------------|----------|
| 1.  | Nose Gear Fork Assembly - Tundra                             | KANG0023     | 1        |
| 2.  | Tundra - Fork Blade - Long                                   | KPNG0113     | 2        |
| 3.  | Axle - Nose Wheel - Tundra                                   | KPNG0114     | 1        |
| 4.  | Axle Spacer - Nose Wheel - Tundra *                          | KPNG0108     | 1        |
| 5.  | Nose Wheel - 6"                                              | KSNG0008     | 1        |
| 6.  | 1/4" Plain Bolt                                              | 1/4 X 1 BOLT | 2        |
| 7.  | 1/4" Large Washer                                            | AN970-4      | 2        |
| 8.  | 1/4" Bolt                                                    | AN4-20A      | 2        |
| 9.  | 1/4" Thin Washer                                             | AN960-416L   | 2        |
| 10. | 1/4" Tensile Nut                                             | AN365-428A   | 2        |
| 11. | 5/16" Sockethead Capscrew                                    | KSHW0083     | 2        |
| 12. | Loctite Blue **                                              | -----        | 0        |
| 13. | 5/16" Thin Washer                                            | AN960-516L   | 2        |
| 14. | Grease Fitting                                               | 11-151       | 1        |
| 15. | 21" 800-6 Tundra Tire                                        | KSMG0024     | 1        |
| 16. | Optional - 800-6 Tundra Tube*** (-1 KSBS0043)                | KSMG0023     | 1        |
| 17. | 5/16" Tensile Nut                                            | AN365-524A   | 2        |
| 18. | 5/16" Bolt                                                   | AN5-23A      | 2        |
| 19. | 3/16" Bolt                                                   | AN3-14A      | 2        |
| 20. | 3/16" Thin Washer                                            | AN960-10L    | 2        |
| 21. | 3/16" Shear Nut                                              | AN364-1032A  | 2        |
| 22. | Optional - MATCO Tubeless Kit for 6" Wheel *** (-1 KSMG0023) | KSBS0043     | 1        |


\* Builder Modifies

\*\* Builder Supplied

\*\*\* Optional - May be purchased separately, call RANS Parts Dept. for pricing

9/11/2018

REV. B



MD55594  
REV. - ORIG

# REFUND S-21 OUTBOUND TRIKE - TAIL TIE-DOWN INSTALLATION

# RANS S-21 OUTBOUND

## TRIKE - TAIL TIE-DOWN INSTALLATION


PAGE

008A-08

### TRIKE ONLY

| #  | DESCRIPTION                     | PART NUMBER | QUANTITY |
|----|---------------------------------|-------------|----------|
| 1. | 5/16" Course Thread Tensile Nut | KSHW0106    | 1        |
| 2. | 5/16" Thin Washer               | AN960-516L  | 1        |
| 3. | Trike Tie-Down Eye Bolt         | KSHW0105    | 1        |

ONLY LEFT HAND SIDE SHOWN FOR CLARITY



\* REFERENCED FROM  
NOSE GEAR INSTALLATION

\*\* TOW BAR SHOWN IN  
COLLAPSED STORAGE  
CONFIGURATION

# RRMS S-21 OUTBOUND TRIKE - OPTIONS - TOW BAR INSTALLATION

MD5480  
REV. - ORIG

# RANS S-21 OUTBOUND

PAGE

008A-10

## TRIKE - OPTIONS - TOW BAR INSTALLATION

### TRIKE ONLY

| #   | DESCRIPTION              | PART NUMBER | QUANTITY |
|-----|--------------------------|-------------|----------|
| 1 . | 1/4" Bolt                | AN4-36A     | 4        |
| 2 . | Nose Gear Tow Plate *    | KPNG0101    | 1        |
| 3 . | Tow Bar & Storage Bag ** | KPAC0233    | 0        |

\* Builder modifies


\*\* May be purchased seperately, call RANS Parts Dept. for pricing

9/11/2018  
REV. - ORIG

# RAMPS S-21 OUTBOUND TRIKE - OPTIONS - TUNDRA NOSE GEAR TOW BAR INSTALLATION

MD5480  
REV. - ORIG

\* REFERENCED FROM  
NOSE GEAR INSTALLATION  
\*\* TOW BAR SHOWN IN  
COLLAPSED STORAGE  
CONFIGURATION



TRIKE - OPTIONS - TUNDRA NOSE GEAR - TOW BAR INSTALLATION

## TRIKE ONLY


| #   | DESCRIPTION             | PART NUMBER | QUANTITY |
|-----|-------------------------|-------------|----------|
| 1 . | Tow Bar & Storage Bag * | KPAC0233    | 0        |
| 2 . | 1/4" Bolt               | AN4-11A     | 2        |
| 3 . | Tow Bar Bushing         | KPNG0109    | 2        |
| 4 . | Loctite Blue **         | -----       | 0        |

\* May be purchased separately, call RANS Parts Dept. for pricing

\*\* Builder Supplied

9/11/2018

REV. - ORIG



LEFT-HAND SHOWN

**REWORK S-21 OUTBOUND  
BELLY FAIRINGS**

MD5581  
REV. A

# RANS S-21 OUTBOUND

PAGE

008B-02


## BELLY FAIRINGS

| #  | DESCRIPTION            | PART NUMBER     | QUANTITY |
|----|------------------------|-----------------|----------|
| 1. | Belly Fairing - RH     | KPFU0753-R      | 1        |
| 1. | Belly Fairing - LH     | KPFU0753-L      | 1        |
| 2. | 3/16" Truss Head Screw | AN526-C1032-R12 | 10       |
| 3. | 3/16" Rivet Nut        | MS27130-A25K    | 10       |
| 4. | Loctite Blue *         | -----           | 0        |

\* Builder Supplied

9/11/2018

REV. A



LEFT-HAND SHOWN

**REAR S-21 OUTBOUND  
OPTIONS - JACK LUG**


MD5581  
REV. - ORIG

OPTIONS - JACK LUG

| #  | DESCRIPTION                                       | PART NUMBER | QUANTITY |
|----|---------------------------------------------------|-------------|----------|
| 1. | Jack Lug *                                        | KPMG0240    | 2        |
| 2. | 3/8" Bolt ** (-2 AN6-26A)                         | AN6-30A     | 2        |
| 3. | 3/8" Bolt *** (-2 AN6-30A) (Dual Piston Hardware) | AN6-31A     | 2        |

\* May be purchased seperately, call RANS Parts Dept. for pricing

\*\* On Wheels other than KSBS0049 / 50, use a bolt 3 dashes longer than originally supplied



# REFINISH S-21 OUTBOUND FUSELAGE - FLOORBOARD INSTALLATION

MD55585  
REV. - ORIG

# RANS S-21 OUTBOUND

## FUSELAGE - FLOORBOARD INSTALLATION


PAGE

009-02

| #  | DESCRIPTION                  | PART NUMBER | QUANTITY |
|----|------------------------------|-------------|----------|
| 1. | Floorboard                   | KPIN0139    | 1        |
| 2. | 3/16" Bolt                   | AN3-3A      | 2        |
| 3. | 3/16" Thin Washer            | AN960-10L   | 2        |
| 4. | 3/32" Aluminum Rivet         | 40APR1/8    | 20       |
| 5. | 3/16" Side by Side Nut Plate | MS21086-L3  | 4        |
| 6. | 3/16" Nut Plate              | K-1000-3    | 6        |
| 7. | 1/8" Aluminum Rivet - Avex   | 1691-0410   | 4        |
| 8. | 1/2" Black Foam Tape *       | -----       | 0        |

\* Builder Supplied

9/11/2018  
REV. - ORIG



**RRR S-21 OUTBOUND**  
**FUSELAGE - RUDDER PEDAL INSTALLATION**

**RANS S-21 OUTBOUND**  
**FUSELAGE - RUDDER PEDAL INSTALLATION**


PAGE

009A-02

| #   | DESCRIPTION                                 | PART NUMBER | QUANTITY |
|-----|---------------------------------------------|-------------|----------|
| 1.  | Rudder Pedal                                | KPCS0306    | 2        |
| 2.  | 3/16" Bolt                                  | AN3-12A     | 4        |
| 3.  | Rudder Pedal Bushing                        | KPCS0017    | 4        |
| 4.  | Brake Saddle *                              | KPCS0319    | 1        |
| 5.  | Rudder Pedal - Cylinder Attach Bracket - RH | KPCS0300-R  | 4        |
| 6.  | Rudder Pedal - Cylinder Attach Bracket - LH | KPCS0300-L  | 4        |
| 7.  | Large Cotter Pin                            | MS24665-285 | 4        |
| 8.  | Swivel Bushing                              | KPCS0056    | 4        |
| 9.  | 1/8" Stainless Steel Rivet - Cherry Q       | CCPQ-42     | 56       |
| 10. | Rudder Pedal - Web                          | KPCS0301    | 4        |
| 11. | Rudder Pedal - Hinge Plate - LH             | KPCS0302-L  | 4        |
| 12. | Rudder Pedal - Hinge Plate - RH             | KPCS0302-R  | 4        |
| 13. | 3/16" Stainless Steel Rivet - Cherry Q      | CCPQ-62     | 4        |
| 14. | 1/2" Plastic Washer                         | KSAC0005    | 12       |

\* Builder Modifies

9/11/2018  
REV. - A



## \*\* BUILDER MODIFIES

# RAMSES S-21 OUTBOUND FUSELAGE - RUDDER SYSTEM INSTALLATION

FUSELAGE - RUDDER SYSTEM INSTALLATION


| #   | DESCRIPTION                          | PART NUMBER | QUANTITY |
|-----|--------------------------------------|-------------|----------|
| 1.  | 3/16" Shear Nut                      | AN364-1032A | 11       |
| 2.  | 3/16" Thin Washer                    | AN960-10L   | 17       |
| 3.  | 3/16" Bolt                           | AN3-7A      | 1        |
| 4.  | U-Bracket                            | RL-205-T    | 1        |
| 5.  | 3/16" Bolt                           | AN3-4A      | 3        |
| 6.  | Hummer Tang                          | T12-HT6     | 2        |
| 7.  | Pulley Cable Keeper                  | KPCS0317    | 2        |
| 8.  | 3/16" Bolt                           | AN3-5A      | 6        |
| 9.  | 3/16" Thick Washer                   | AN960-10    | 4        |
| 10. | Small Pulley                         | AN210-1A    | 2        |
| 11. | 3/16" Bolt                           | AN3-6A      | 3        |
| 12. | Small Cotter Pin *                   | MS24665-134 | 4        |
| 13. | 3/16" Bolt *                         | AN3-5A      | 2        |
| 14. | 3/16" Thin Washer *                  | AN960-10L   | 6        |
| 15. | Tailwheel Steer Cable Assembly *     | KPCS0308    | 2        |
| 16. | 3/16" Shear Nut *                    | AN364-1032A | 6        |
| 17. | Tang * **                            | KPAC0038    | 4        |
| 18. | 3/16" Bolt *                         | AN3-6A      | 4        |
| 19. | Pulley *                             | AN210-2A    | 4        |
| 20. | Tailwheel Steer Cable Exit Fairing * | KPFU0755    | 2        |
| 21. | Small Cotter Pin                     | MS24665-134 | 4        |
| 22. | Pulley                               | AN210-2A    | 1        |
| 23. | Rudder Pedal Return Cable            | KACS0036    | 1        |
| 24. | Return Pulley Mount Angle **         | KPCS0318    | 1        |
| 25. | 8-32 Single-Ear Nut Plate *          | MS21051-08  | 4        |
| 26. | 8-32 Machine Screw *                 | AN526-832R6 | 8        |
| 27. | 8-32 Corner Nut Plate *              | K-3000-08   | 4        |
| 28. | 3/32" Aluminum Rivet *               | 40APR1/8    | 16       |

\* Taildragger Only - Supplied with Taildragger Gear Kit

\*\* Builder Modifies

9/11/2018

REV. - ORIG



**REDUCED S-21 OUTBOUND**  
**FUSELAGE - HYDRAULIC BRAKE INSTALLATION**

MD2600  
REV. A

FUSELAGE - HYDRAULIC BRAKE INSTALLATION

| #   | DESCRIPTION                                               | PART NUMBER | QUANTITY |
|-----|-----------------------------------------------------------|-------------|----------|
| 1.  | Hydraulic Brake Reservoir                                 | KSBS0034    | 1        |
| 2.  | Vented 1/8" Cap Plug *                                    | -----       | 0        |
| 3.  | 90-degree Elbow - Flare 1/4" Tube to 1/8" NPT             | AN822-4D    | 11       |
| 4.  | 45-degree Elbow - Flare 1/4" Tube to 1/8" NPT             | AN823-4D    | 1        |
| 5.  | 3/16" Bolt                                                | AN3-3A      | 2        |
| 6.  | 3/16" Thin Washer                                         | AN960-10L   | 16       |
| 7.  | Thread Sealant **                                         | -----       | 0        |
| 8.  | 3/16" Shear Nut                                           | AN364-1032A | 4        |
| 9.  | 3/16" Bolt                                                | AN3-11A     | 2        |
| 10. | 3/16" Stainless Steel Rivet - Cherry Q                    | CCPQ-62     | 2        |
| 11. | Rubber Washer ***                                         | -----       | 0        |
| 12. | 1/4" Thick Washer                                         | AN960-416   | 2        |
| 13. | Cable Housing Swivel Stop                                 | KPBS0009    | 1        |
| 14. | Cable Housing Swivel Stop Bracket                         | KPBS0010    | 1        |
| 15. | Small Cotter Pin                                          | MS24665-134 | 13       |
| 16. | Safety Wire **                                            | -----       | 0        |
| 17. | Cable Swivel Stop & Screw                                 | 2361        | 1        |
| 18. | Parking Brake                                             | KSBS0007    | 1        |
| 19. | Bulkhead Tee - Flare 1/4" Tube                            | AN834-4D    | 1        |
| 20. | 7/16" Thick Washer                                        | AN960-716   | 4        |
| 21. | Blue Fuel Line - 1/4"                                     | FS-FL       | 2 in     |
| 22. | Control Cable                                             | 4-336       | 1        |
| 23. | Cable Friction Block                                      | T-STOP      | 1        |
| 24. | Socket Head Cap Screw                                     | T-SC        | 1        |
| 25. | Master Brake Cylinder w/ Drilled Shaft                    | KSBS0048    | 4        |
| 26. | 3/16" Thick Washer                                        | AN960-10    | 4        |
| 27. | 3/16" Bolt - Drilled Shank                                | AN3-10      | 8        |
| 28. | 3/16" Castle Nut                                          | AN310-3     | 8        |
| 29. | Nut - Flared Tube Bulkhead                                | AN924-4D    | 3        |
| 30. | 7/16" Thin Washer                                         | AN960-716L  | 2        |
| 31. | Straight Fitting - Flare 1/4" Tube to 1/8" NPT            | AN816-4D    | 1        |
| 32. | Bulkhead 90-degree Elbow - Flare 1/4" Tube                | AN833-4D    | 2        |
| 33. | Loctite Blue **                                           | -----       | 0        |
| 34. | Braided Brake Line Kit - S-20 / S-21                      | KSBS0038    | 1        |
| 35. | Braided Line - 22" - Reservoir to Bulkhead Tee ****       | KSBS0038-1  | 0        |
| 36. | Braided Line - 9" - Bulkhead Tee to Cylinders ****        | KSBS0038-2  | 0        |
| 37. | Braided Line - 18.75" - RH to LH Cylinders ****           | KSBS0038-3  | 0        |
| 38. | Braided Line - 15" - LH Cylinders to Park Valve ****      | KSBS0038-4  | 0        |
| 39. | Braided Line - 30" - Bulkhead to Wheel Brakes ****        | KSBS0038-7  | 0        |
| 40. | Braided Line - 87" - Park Valve to RH Bulkhead - TR ***** | KSBS0051    | 1        |
| 41. | Braided Line - 69" - Park Valve to LH Bulkhead - TR ***** | KSBS0052    | 1        |
| 42. | Braided Line - 43" - Park Valve to RH Bulkhead - TD ***** | KSBS0053    | 1        |
| 43. | Braided Line - 63" - Park Valve to LH Bulkhead - TD ***** | KSBS0054    | 1        |

\* Supplied with Brake Reservoir.


\*\* Builder supplied \*\*\* Supplied with Parking Brake

\*\*\*\* Supplied with KSBS0038

\*\*\*\*\* Supplied with Gearleg

9/11/2018

REV. A



# RRM S-21 OUTBOUND FUSELAGE - SLIDING SEAT ASSEMBLY

MD5589  
REV. D

# RANS S-21 OUTBOUND

## FUSELAGE - SLIDING SEAT ASSEMBLY

PAGE

009D-02

| #   | DESCRIPTION                            | PART NUMBER  | QUANTITY |
|-----|----------------------------------------|--------------|----------|
| 1.  | Seat Back Cushion                      | KAST0035     | 2        |
| 2.  | Seat Back Frame                        | ST-SBF       | 2        |
| 3.  | 3/16" Countersunk Machine Screw        | MS24694-S67  | 8        |
| 4.  | 3/16" Thin Washer                      | AN960-10L    | 12       |
| 5.  | 1/4" Quick Pin                         | PIN 1/4X1.2  | 4        |
| 6.  | Seat Side Plate                        | KPST0130     | 8        |
| 7.  | 1/4" Plastic Washer                    | PW-4         | 8        |
| 8.  | 3/16" Thick Washer                     | AN960-10     | 16       |
| 9.  | 3/16" Shear Nut                        | AN364-1032A  | 12       |
| 10. | Seat Back Tube                         | KPST0136     | 2        |
| 11. | Seat Bottom Tube                       | KPST0135     | 2        |
| 12. | Seat Bottom Pan                        | KPST0131     | 2        |
| 13. | Sliding Seat Bottom Frame              | KPST0127     | 2        |
| 14. | Seat Bottom Cushion                    | KAST0036     | 2        |
| 15. | 3/16" Stainless Steel Rivet - Cherry Q | CCPQ-62      | 16       |
| 16. | 1/8" Stainless Steel Rivet - Flush     | CCC-42       | 12       |
| 17. | Slider Block                           | KPST0124     | 4        |
| 18. | Sliding Seat Position Rail             | KPST0128     | 4        |
| 19. | 3/16" Rivet Nut                        | MS27130-A25K | 8        |
| 20. | Seat Stop Tube, 3/8" x .095" x 1/2" *  | KPST0132     | 1        |
| 21. | Sliding Seat Rail Plate                | KPST0129     | 4        |
| 22. | 3/16" Bolt                             | AN3-11A      | 8        |
| 23. | 3/16" Stainless Steel Rivet - Cherry Q | CCPQ-64      | 4        |
| 24. | 1/8" Aluminum Rivet - Avex             | 1691-0410    | 28       |
| 25. | 1/4" Shear Nut                         | AN364-428A   | 4        |
| 26. | 1/4" Thin Washer                       | AN960-416L   | 20       |
| 27. | Multi-Hole Tang                        | ST-16-FLAT   | 8        |
| 28. | Bearing                                | SR4APP       | 8        |
| 29. | 1/4" Countersunk Machine Screw         | MS24694-S111 | 4        |

\* Fabricate from Raw Stock


\*\* Builder determines length

9/11/2018

REV. D

# FUSELAGE - OPTIONS - HEADREST ASSEMBLY

MD5108



FUSELAGE - OPTIONS - SEAT HEADREST INSTALLATION


| #   | DESCRIPTION                                  | PART NUMBER  | QUANTITY |
|-----|----------------------------------------------|--------------|----------|
| 1.  | Headrest Cover                               | ST-HRC-A     | 2        |
| 2.  | 3/16" Thin Washer                            | AN960-10L    | 8        |
| 3.  | 3/16" Rivet Nut                              | MS27130-A25K | 8        |
| 4.  | 3/16" Bolt                                   | AN3-13A      | 8        |
| 5.  | 3/16" Thick Washer                           | AN960-10     | 4        |
| 6.  | 3/16" Aluminum Rivet - Cherry Q              | AAPQ-64      | 4        |
| 7.  | Headrest Frame                               | ST-HRF(6/12) | 2        |
| 8.  | 1" End Cap                                   | 1 CAP        | 4        |
| 9.  | Seat & Headrest - Raw Stock Kit              | KAAC0014     | 2        |
| 10. | Headrest Internal Tube, 1/2" x .035 x X * ** | KAAC0014-1   | 0        |

\* Fabricate from Raw Stock

\*\* Builder determines length

9/11/2018

REV. - ORIG



# RRM S-21 OUTBOUND FUSELAGE - SEAT BELT INSTALLATION


MD5590  
REV. - ORIG

**RANS S-21 OUTBOUND**  
**FUSELAGE - SEAT BELT INSTALLATION**

PAGE

009D-06

| #  | DESCRIPTION       | PART NUMBER | QUANTITY |
|----|-------------------|-------------|----------|
| 1. | 5/16" Bolt        | AN5-15A     | 6        |
| 2. | 5/16" Shear Nut   | AN364-524A  | 6        |
| 3. | Seat Belt Kit     | KAST0025    | 2        |
| 4. | 5/16" Thin Washer | AN960-516L  | 6        |



# RFAINCS S-21 OUTBOUND FUSELAGE - CONTROL STICK INSTALLATION

# RANS S-21 OUTBOUND

## FUSELAGE - CONTROL STICK INSTALLATION


PAGE

010-02

| #   | DESCRIPTION                                | PART NUMBER  | QUANTITY |
|-----|--------------------------------------------|--------------|----------|
| 1.  | 7/8" End Cap                               | CS-EC        | 1        |
| 2.  | Bearing Washer                             | CS-BW        | 8        |
| 3.  | Control Stick Grip                         | CS-G         | 1        |
| 4.  | Control Stick                              | KPCS0072     | 2        |
| 5.  | Thrust Bearing                             | CS-TB        | 4        |
| 6.  | 3/16" Castle Nut                           | AN310-3      | 2        |
| 7.  | 3/4" Nyloc Nut                             | CS-3/4LOCNUT | 2        |
| 8.  | 3/16" Bolt                                 | AN3-6A       | 4        |
| 9.  | 3/16" Bolt - Drilled Shank                 | AN3-11       | 1        |
| 10. | 3/16" Thin Washer                          | AN960-10L    | 14       |
| 11. | Small Cotter Pin                           | MS24665-134  | 2        |
| 12. | Control Stick Torque Tube                  | CS-TT-A      | 1        |
| 13. | Male Rod End, 1/4" x 1/4"                  | NM-4         | 1        |
| 14. | 1/4" Plain Nut                             | AN345-416    | 3        |
| 15. | Control Stick Link Tube                    | CS-CSLT-3    | 1        |
| 16. | Loctite Blue ***                           | ----         | 0        |
| 17. | 1/4" Plain Bolt                            | KSHW0119     | 2        |
| 18. | 1/4" X 5/8" Steel Washer                   | KSHW0075     | 1        |
| 19. | Raw Stock - Aluminum Bushing, 1/4" x .028" | KAAC0044-2   | 1        |
| 19. | Aluminum Bushing, 1/4" x .028" x 17/32" *  | KAAC0044-2   | 0        |
| 20. | 1/4" Bolt                                  | AN4-10A      | 1        |
| 21. | 1/4" Shear Nut                             | AN364-428A   | 1        |
| 22. | 1/4" Thick Washer                          | AN960-416    | 3        |
| 23. | 3/16" Bolt - Drilled Shank                 | AN3-12       | 1        |

\* Fabricate from Raw Stock

9/11/2018  
REV. - ORIG



# REVISION S-21 OUTBOUND

## FUSELAGE - OPTION - PASSENGER SEAT ELECTRIC ELEVATOR TRIM

MD3649  
REV. - ORIG

# RANS S-21 OUTBOUND


PAGE

010-04

## FUSELAGE - OPTIONS - PASSENGER SEAT ELECTRIC ELEVATOR TRIM

KAAC0054

| #   | DESCRIPTION            | PART NUMBER | QUANTITY |
|-----|------------------------|-------------|----------|
| 1 . | MAC Control Stick Grip | KSCS0016    | 1        |
| 2 . | Servo Relay Deck       | KSCS0027    | 1        |



# REVISION S-21 OUTBOUND FUSELAGE - CONTROL STICK PUSH-PULL TUBE INSTALLATION

FUSELAGE - CONTROL STICK PUSH-PULL TUBE INSTALLATION

| #   | DESCRIPTION                                        | PART NUMBER | QUANTITY |
|-----|----------------------------------------------------|-------------|----------|
| 1.  | 5/8" Push Pull Tube, 35"                           | KPCS0268    | 1        |
| 2.  | Small Cotter Pin                                   | MS24665-134 | 5        |
| 3.  | Push-Pull Tube Stop Sleeve, 3/4" x .058" x 3/4" ** | KPAC0277    | 1        |
| 4.  | 1/8" Stainless Steel Rivet - Cherry Q              | CCPQ-42     | 2        |
| 5.  | 3/16" Shear Nut                                    | AN364-1032A | 3        |
| 6.  | 3/16" Thin Washer                                  | AN960-10L   | 2        |
| 7.  | Small Cable Keeper **                              | KPCS0207    | 1        |
| 8.  | Small Pulley                                       | AN210-1A    | 2        |
| 9.  | Sliding Block                                      | KPCS0263    | 1        |
| 10. | Aluminum Bushing, 1/4" x .028" x 1.125" *          | KAAC0044-2  | 0        |
| 11. | 5/8" Push Pull Tube, 12"                           | KPCS0267    | 1        |
| 12. | 3/16" Bolt                                         | AN3-31A     | 1        |
| 13. | Male Rod End, 1/4" x 1/4"                          | NM-4        | 3        |
| 14. | 1/4" Plain Nut                                     | AN345-416   | 3        |
| 15. | Side Plate                                         | KPAC0154    | 2        |
| 16. | Aluminum Bushing, 1/4" x .028" x 3/8" *            | KAAC0044-2  | 0        |
| 17. | 3/16" Bolt                                         | AN3-11A     | 2        |
| 18. | 1/4" X 5/8" Steel Washer                           | KSHW0075    | 1        |
| 19. | 3/16" Thick Washer                                 | AN960-10    | 9        |
| 20. | 1/4" Bolt                                          | AN4-10A     | 1        |
| 21. | 1/4" Shear Nut                                     | AN364-428A  | 1        |
| 22. | 1/4" Thick Washer                                  | AN960-416   | 1        |
| 23. | Loctite Blue ***                                   | -----       | 0        |
| 24. | Aluminum Bushing - 3/8" x .095" x .33" **          | KPAC0060    | 1        |
| 25. | 3/16" Bolt - Drilled Shank                         | AN3-11      | 1        |
| 26. | 3/16" Castle Nut                                   | AN310-3     | 1        |


\* Fabricate from Raw Stock

\*\* Builder Modifies

\*\*\* Builder Supplied

9/11/2018


REV. - ORIG



**REVISION S-21 OUTBOUND**  
**FUSELAGE - ELEVATOR PUSH-PULL TUBE INSTALLATION**

**FUSELAGE - ELEVATOR PUSH-PULL TUBE INSTALLATION**

| <b>#</b> | <b>DESCRIPTION</b>                    | <b>PART NUMBER</b> | <b>QUANTITY</b> |
|----------|---------------------------------------|--------------------|-----------------|
| 1.       | Elevator Push-Pull Tube Fitting       | KPCS0304           | 1               |
| 2.       | Elevator Push-Pull Tube               | KPCS0305           | 1               |
| 3.       | Elevator Push-Pull Tube Doubler       | KPCS0311           | 1               |
| 4.       | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-42            | 4               |
| 5.       | 1/4" Shear Nut                        | AN364-428A         | 2               |
| 6.       | 1/4" Thin Washer                      | AN960-416L         | 2               |
| 7.       | 1/4" Bolt                             | AN4-16A            | 1               |
| 8.       | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-43            | 4               |
| 9.       | 1/4" Bolt                             | AN4-17A            | 1               |
| 10.      | 1/4" Thick Washer                     | AN960-416          | 2               |
| 11.      | Elevator Bushing Clip                 | KPEL0052           | 1               |



# S-21 OUTBOUND FUSELAGE - AILERON CABLE SYSTEM INSTALLATION

MD4181  
REV. - ORIG

FUSELAGE - AILERON CABLE SYSTEM INSTALLATION

| #   | DESCRIPTION                              | PART NUMBER  | QUANTITY |
|-----|------------------------------------------|--------------|----------|
| 1.  | 3/16" Bolt                               | AN3-16A      | 2        |
| 2.  | 3/16" Thin Washer                        | AN960-10L    | 16       |
| 3.  | Aileron - Control Stick Cable            | KPCS0269     | 1        |
| 4.  | Loc Ring                                 | RL 27 1/4    | 6        |
| 5.  | Small Cotter Pin                         | MS24665-134  | 8        |
| 6.  | U-Bracket                                | RL-205-T     | 12       |
| 7.  | 3/16" Tensile Nut                        | AN365-1032A  | 6        |
| 8.  | 3/16" Bolt                               | AN3-6A       | 8        |
| 9.  | Hummer Tang                              | T12-HT6      | 12       |
| 10. | Pulley                                   | AN210-2A     | 6        |
| 11. | 3/16" Shear Nut                          | AN364-1032A  | 16       |
| 12. | 3/16" Clevis Pin                         | MS20392-2C17 | 6        |
| 13. | 3/16" Bolt                               | AN3-7A       | 4        |
| 14. | 3/16" Bolt                               | AN3-3A       | 6        |
| 15. | Turnbuckle                               | RL-335-AT    | 3        |
| 16. | 3/16" Bolt                               | AN3-32A      | 2        |
| 17. | Small Cable Keeper *                     | KPCS0207     | 2        |
| 18. | Small Pulley                             | AN210-1A     | 6        |
| 19. | 3/8" Cushion Clamp                       | MS21919-WDG6 | 2        |
| 20. | Safety Wire **                           | -----        | 0        |
| 21. | 3/16" Thick Washer                       | AN960-10     | 8        |
| 22. | Aluminum Bushing - 3/8" x .095" x 7/8" * | KPAC0060     | 2        |

\* Builder Modifies


\*\* Builder Supplied

9/11/2018

REV. - ORIG

# RRMS S-21 OUTBOUND FUSELAGE - FLAP LEVER ASSEMBLY

MD5592  
REV. - ORIG



# RANS S-21 OUTBOUND

## FUSELAGE - FLAP LEVER INSTALLATION

PAGE

010D-02

| #   | DESCRIPTION                            | PART NUMBER | QUANTITY |
|-----|----------------------------------------|-------------|----------|
| 1.  | Flap Lever Side Plate                  | KPFL0159    | 2        |
| 2.  | Flap Handle                            | KPFL0044    | 1        |
| 3.  | Flap Trip Release Tube                 | KPFL0045    | 1        |
| 4.  | Female Rod End                         | NF-3        | 2        |
| 5.  | Endcap                                 | 3/4 ENDCAP  | 2        |
| 6.  | Spring                                 | C-21        | 1        |
| 7.  | Plastic Shim                           | KPAC0121    | 2        |
| 8.  | 1/4" Bolt                              | AN4-20A     | 1        |
| 9.  | Spacer Bushing, 1/4" x .028" x 1.00" * | KAAC0044-2  | 0        |
| 10. | Spacer Bushing, 1/4" x .028" x .625" * | KAAC0044-2  | 0        |
| 11. | 1/4" Shear Nut                         | AN364-428A  | 1        |
| 12. | 3/16" Shear Nut                        | AN364-1032A | 6        |
| 13. | 3/16" Bolt                             | AN3-14A     | 2        |
| 14. | 3/16" Bolt                             | AN3-15A     | 3        |
| 15. | Angle Bracket ** ***                   | KPAC0004    | 2        |
| 16. | Tinnerman ***                          | A1789-8Z-1  | 2        |
| 17. | 3/16" Thick Washer                     | AN960-10    | 5        |
| 18. | 3/16" Thin Washer                      | AN960-10L   | 6        |
| 19. | 3/16" Bolt                             | AN3-11A     | 1        |
| 20. | Teleflex Retainer Bracket              | KSCS0001    | 2        |
| 21. | Roller Bushing, 3/8" x .058" x 3/8" *  | SB-3/8x2    | 1        |
| 22. | Flap Lever Cover - LH ***              | KPIN0118-L  | 1        |
| 23. | Flap Lever Cover - RH ***              | KPIN0118-R  | 1        |
| 24. | #4 Small Pan Head Screw ***            | 4X1/4 PHS   | 7        |
| 25. | Flap Lever Cover Splice **             | KPIN0125    | 1        |
| 26. | PVC Cement ****                        | -----       | 0        |

\* Fabricate from Raw Stock

\*\* Builder Modifies

\*\*\* Part of Interior Installation

\*\*\*\* Builder Supplied





9/11/2018

REV. - ORIG

NOTE: ALL RIVETS 1691-0410 AVEY,  
EXCEPT WHERE WASHERS ARE  
USED BETWEEN WELDED TAB  
AND STIFFENER OR THROUGH  
FRONT OF FIREWALL OR AFT  
OF BOTTOM BOOT COWL SKINS.

\* USE WASHERS AS REQUIRED  
TO FILL GAP BETWEEN TAB  
AND STIFFENER.

\*\* REFER TO INSTRUMENT  
PANEL ASSEMBLY



# RRR S-21 OUTBOUND FUSELAGE - BOOT COWL ASSEMBLY

MD5588  
REV. - ORIG

# RANS S-21 OUTBOUND

## FUSELAGE - BOOT COWL ASSEMBLY

PAGE

010E-02


| #   | DESCRIPTION                           | PART NUMBER | QUANTITY |
|-----|---------------------------------------|-------------|----------|
| 1.  | Bottom Boot Cowl Skin                 | KPFU0744    | 1        |
| 2.  | Forward Top Boot Cowl Skin            | KPFU0688    | 1        |
| 3.  | Side Boot Cowl Skin - LH              | KPFU0750-L  | 1        |
| 4.  | Top Side Boot Cowl Skin               | KPFU0690    | 2        |
| 5.  | Boot Cowl Spacer Strip - Top          | KPFU0691    | 2        |
| 6.  | Boot Cowl Spacer Strip - Side         | KPFU0692    | 2        |
| 7.  | Firewall - Side - Left                | KPFW0037-L  | 1        |
| 8.  | Firewall - Side - Right               | KPFW0037-R  | 1        |
| 9.  | Firewall - Center                     | KPFW0038    | 1        |
| 10. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-41     | 44       |
| 11. | Skin Stiffener - Boot Cowl            | KPFU0685    | 8        |
| 12. | 1/8" Aluminum Rivet - Avex            | 1691-0410   | 211      |
| 13. | Cowling Attach Strap - Top            | KPFU0694    | 1        |
| 14. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-45     | 2        |
| 15. | 1/8" Small Brass Washer               | AN960-B4    | 64       |
| 16. | Cowling Attach Strap - Side           | KPFU0695    | 2        |
| 17. | Cowling Attach Strap - Bottom *       | KPFU0584    | 1        |
| 18. | Double Stick Foam Tape **             | -----       | 0        |
| 19. | Side Boot Cowl Skin - RH              | KPFU0750-R  | 1        |
| 20. | Truck Bed Liner Spray **              | -----       | 0        |
| 21. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-42     | 7        |
| 22. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-42     | 9        |

\* Builder Modifies

\*\* Builder Supplied

9/11/2018

REV. - ORIG



NOTE: SYSTEM MAY VARY IN DESIGN

# REFINING S-21 OUTBOUND VENT SYSTEM INSTALLATION

MD5062  
REV. - A

**RANS S-21 OUTBOUND**  
**FUSELAGE - VENT SYSTEM INSTALLATION**


PAGE

010E-04

| #  | DESCRIPTION                | PART NUMBER | QUANTITY |
|----|----------------------------|-------------|----------|
| 1. | Air Vent NACA Scoop        | KSFU0004    | 2        |
| 2. | 1/8" Aluminum Rivet - Avex | 1691-0410   | 6        |
| 3. | Silicone Seal *            | -----       | 0        |
| 4. | Hose Clamp - 2 1/4"        | 5-5228      | 4        |
| 5. | 1/8" Small Brass Washer    | AN960-B4    | 6        |
| 6. | Eyeball Air Vent           | KSFU0006    | 2        |
| 7. | 2" Fresh Air Duct          | KSFU0005    | 1        |

\* Builder Supplied

9/11/2018  
REV. - A



# FWD S-21 OUTBOUND INSTRUMENT PANEL INSTALLATION

MD5584  
REV. - ORIG

FUSELAGE - INSTRUMENT PANEL INSTALLATION

| #   | DESCRIPTION                                    | PART NUMBER  | QUANTITY |
|-----|------------------------------------------------|--------------|----------|
| 1.  | Oval Glare Shield Ring                         | KPIP0147     | 2        |
| 2.  | Instrument Panel Visor                         | KPIP0143     | 1        |
| 3.  | Instrument Panel Frame                         | KPIP0140     | 1        |
| 4.  | Instrument Panel - Standard Blank              | KPIP0134     | 1        |
| 5.  | Trimlock Cushion Lip                           | 4100C-1/16   | 5 ft     |
| 6.  | 1/8" Aluminum Rivet - Avex                     | 1691-0410    | 38       |
| 7.  | 8-32 Single-Ear Nut Plate                      | MS21051-08   | 2        |
| 8.  | 1/8" Stainless Steel Rivet - Cherry Q          | CCPQ-42      | 4        |
| 9.  | 8-32 Nut Plate                                 | MS21047-08   | 15       |
| 10. | Dash Cover Fabric - Optional *                 | KPIN0127     | 0        |
| 11. | Dash Foam - Optional *                         | KPIN0128     | 0        |
| 12. | 3/16" Rubber Grommet                           | KSAC0002     | 17       |
| 13. | #8 Small Brass Washer                          | AN960-B8     | 17       |
| 14. | #8 Pan Head Machine Screw                      | MS27039-0809 | 17       |
| 15. | 3/32" Aluminum Rivet                           | 40APR1/8     | 34       |
| 16. | Contact Cement Adhesive - 3M Super 77 Spray ** | -----        | 0        |

\* May be purchased separately, call RANS Parts Dept. for pricing


\*\* Builder Supplied

9/11/2018

REV. - ORIG

\*FIRE EXTINGUISHER  
MAY MOUNT TO BOTTOM  
OF THROTTLE BRACE

\*\*TRIM FORWARD END OF  
RADIO MOUNT PLATES TO  
CLEAR FUSELAGE CROSSING  
TUBE




**REMOVE S-21 OUTBOUND  
INSTRUMENT SUB-PANEL &  
RADIO MOUNT PLATES INSTALLATION**

FUSELAGE - INSTRUMENT SUB-PANEL & RADIO MOUNT PLATES INSTALLATION

| #   | DESCRIPTION                                | PART NUMBER | QUANTITY |
|-----|--------------------------------------------|-------------|----------|
| 1.  | 3/16" Bolt                                 | AN3-4A      | 2        |
| 2.  | Radio Mount Plate - Double - LH            | KPAV0003-L  | 1        |
| 3.  | Radio Mount Plate - Double - RH            | KPAV0003-R  | 1        |
| 4.  | 3/16" Shear Nut                            | AN364-1032A | 2        |
| 5.  | 3/16" Thin Washer                          | AN960-10L   | 2        |
| 6.  | 1/2" Cushion Clamp                         | MS21919-DG8 | 2        |
| 7.  | 3/4" x 3/4" x .063" Aluminum Angle *       | KAAC0044-12 | 1        |
| 8.  | Throttle Brace and Fire Extinguisher Mount | KPIP0149    | 1        |
| 9.  | 1/8" Aluminum Rivet - Cherry Q             | AAPQ-42     | 33       |
| 10. | Sub-Panel Reinforcement                    | KPIP0150    | 1        |
| 11. | Instrument Sub-Panel                       | KPIP0151    | 1        |
| 12. | 1/8" Stainless Steel Rivet - Cherry Q      | CCPQ-42     | 4        |

\* Fabricate from Raw Stock



# Garmin S-21 OUTBOUND FUSELAGE - OPTIONS - PITCH SERVO INSTALLATION

# RANS S-21 OUTBOUND

PAGE

010F-06

## FUSELAGE - OPTIONS - PITCH SERVO INSTALLATION

KAFU0064

| #   | DESCRIPTION                                 | PART NUMBER  | QUANTITY |
|-----|---------------------------------------------|--------------|----------|
| 1.  | Autopilot Servo Mount                       | KPFU0665     | 1        |
| 2.  | Autopilot Control Link Tube                 | KPCS0298     | 1        |
| 3.  | Autopilot Control Stick Clamp               | KPCS0294     | 2        |
| 4.  | Autopilot Control Stick Mount               | KPCS0297     | 1        |
| 5.  | 3/16" Bolt                                  | AN3-3A       | 5        |
| 6.  | 3/16" Thin Washer                           | AN960-10L    | 15       |
| 7.  | Loctite Blue *                              | ----         | 0        |
| 8.  | 3/16" Bolt                                  | AN3-7A       | 1        |
| 9.  | 3/16" Thick Washer                          | AN960-10     | 4        |
| 10. | 3/16" Shear Nut                             | AN364-1032A  | 15       |
| 11. | 3/16" Male Rod End                          | CM-3         | 2        |
| 12. | 3/16" Plain Nut                             | AN345-10     | 2        |
| 13. | 3/16" Bolt                                  | AN3-13A      | 2        |
| 14. | 5/8" Plain Clamp                            | AN742-D10    | 2        |
| 15. | 1/2" Plain Clamp                            | AN742-D8     | 1        |
| 16. | 3/16" Bolt                                  | AN3-4A       | 7        |
| 17. | 1/8" Stainless Steel Rivet - Cherry Q       | CCPQ-42      | 1        |
| 18. | 5/8" Cushion Clamp                          | MS21919-DG10 | 1        |
| 19. | Support Angle - Baggage Compartment **, *** | KPIN0096     | 0        |


\* Builder Supplied

\*\* Builder Modifies

\*\*\* Use Drop-off from KPIN0096

9/11/2018

REV. - ORIG



SERVO OTHER THAN GARMIN MAY  
REQUIRE DIFFERENT HARDWARE

MD3649  
REV. A

# Garmin S-21 OUTBOUND FUSELAGE - OPTIONS - ROLL SERVO INSTALLATION

# RANS S-21 OUTBOUND

PAGE

010F-08

## FUSELAGE - OPTIONS - ROLL SERVO INSTALLATION

KAFU0064


| #   | DESCRIPTION                               | PART NUMBER | QUANTITY |
|-----|-------------------------------------------|-------------|----------|
| 1.  | Autopilot Servo Mount                     | KPFU0665    | 1        |
| 2.  | Autopilot Cable Clamp                     | KPCS0295    | 4        |
| 3.  | Autopilot Roll Control Cable              | KPCS0316    | 1        |
| 4.  | Autopilot Cable Control Mount             | KPCS0296    | 1        |
| 5.  | 3/16" Bolt                                | AN3-3A      | 4        |
| 6.  | 3/16" Thin Washer                         | AN960-10L   | 15       |
| 7.  | Aluminum Bushing - 3/8" x .095" x 3/8" *  | KPST0132    | 1        |
| 8.  | 3/16" Bolt                                | AN3-7A      | 4        |
| 9.  | 3/16" Shear Nut                           | AN364-1032A | 11       |
| 10. | 3/16" Bolt                                | AN3-6A      | 7        |
| 11. | 5/8" Plain Clamp                          | AN742-D10   | 2        |
| 12. | 1/2" Plain Clamp                          | AN742-D8    | 1        |
| 13. | Aluminum Bushing - 3/8" x .095" x 5/16" * | KPST0132    | 0        |

\* Builder Modifies

9/11/2018

REV. A

# REFUND S-21 OUTBOUND FORMED WINDSHIELD & SKYLIGHT INSTALLATION



MD4934  
REV. B

FUSELAGE - FORMED WINDSHIELD & SKYLIGHT INSTALLATION


| #   | DESCRIPTION                           | PART NUMBER | QUANTITY |
|-----|---------------------------------------|-------------|----------|
| 1.  | Windshield                            | KSW0003     | 1        |
| 2.  | Windshield Hold Down Strip            | KPWS0063    | 1        |
| 3.  | Skylight                              | KPWS0059    | 1        |
| 4.  | AFT Trim Strip                        | WS-WSSLS    | 1        |
| 5.  | Wing Cuff - LH                        | KPWI0724-L  | 1        |
| 6.  | Wing Cuff - RH                        | KPWI0724-R  | 1        |
| 7.  | #6 Pan Head Screw                     | 6RX1/2 PHS  | 2        |
| 8.  | Windshield Mating Strip - Lower       | KPWS0072    | 1        |
| 9.  | 1/8" Aluminum Rivet - Avex            | 1691-0410   | 38       |
| 10. | 1/2" Black Foam Tape *                | ----        | 0        |
| 11. | 1/8" Stainless Steel Rivet - Cherry Q | CCPQ-42     | 5        |
| 12. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-44     | 57       |
| 13. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-43     | 46       |
| 14. | 3M 2216 Adhesive - 4 ounce *          | ----        | 0        |
| 15. | Windshield Mating Strip - Upper       | KPWS0071    | 1        |
| 16. | Silicone Seal - Clear *               | ----        | 0        |
| 17. | Cabin Rib - Middle                    | KPWS0074    | 1        |
| 18. | Mating Strip Support Tube             | KPWS0077    | 1        |
| 19. | Skylight Trim Strip **                | KPWS0010    | 5        |
| 20. | Windshield Outer Hold Down Spacer     | KPWS0076    | 2        |
| 21. | Z Strip                               | KPWS0070    | 2        |
| 22. | Z Clamp Strip                         | KPWS0068    | 2        |
| 23. | 1/8" Stainless Steel Rivet - Flush    | CCC-42      | 3        |
| 24. | Z Strip Spacer                        | KPWS0069    | 2        |
| 25. | Windshield Outer Hold Down Strip      | KPWS0075    | 2        |
| 26. | 1/2" 3M VHB Tape                      | KSAC0078    | 4 ft     |
| 27. | 8-32 Rivet Nut                        | KSHW0116    | 5        |
| 28. | 8-32 Button Head Screw                | KSHW0117    | 5        |
| 29. | 1/8" Aluminum Rivet - Cherry Q        | AAPQ-46     | 19       |
| 30. | Skylight Spacer Strip                 | KPWS0078    | 2        |
| 31. | Cabin Rib - Outer                     | KPWS0080    | 2        |

\* Builder Supplied

\*\* Builder Modifies

9/11/2018

REV. B



**RRR S-21 OUTBOUND  
DOOR ASSEMBLY, LEXAN & TRIM**

MD5582  
REV. - A

# RANS S-21 OUTBOUND

## DOOR ASSEMBLY, LEXAN AND TRIM

PAGE

010H-02

### LEXAN & TRIM

| #   | DESCRIPTION                    | PART NUMBER | QUANTITY |
|-----|--------------------------------|-------------|----------|
| 1.  | Upper Trim Strip *             | KPDR0077    | 2        |
| 2.  | Door Frame Assembly - RH       | KADR0012-R  | 1        |
| 2.  | Door Frame Assembly - LH       | KADR0012-L  | 1        |
| 3.  | Door - Lexan - Upper *         | KPDR0129    | 2        |
| 4.  | Door - Lexan - Lower - LH *    | KPDR0130-L  | 1        |
| 4.  | Door - Lexan - Lower - RH *    | KPDR0130-R  | 1        |
| 5.  | Channel Extrusion *            | KPDR0131    | 2        |
| 6.  | Door Trim - FWD *              | KPDR0126    | 2        |
| 7.  | Door Trim - AFT *              | KPDR0127    | 2        |
| 8.  | Door Trim - Lower *            | KPDR0128    | 2        |
| 9.  | 1/8" Aluminum Rivet - Cherry Q | AAPQ-43     | 72       |
| 10. | 1/8" Aluminum Rivet - Avex     | 1691-0410   | 64       |
| 11. | Rubber Edging                  | 8510K11     | 8 ft     |
| 12. | 1/2" Black Foam Tape **        | -----       | 0        |
| 13. | Adhesive - Superglue **        | -----       | 0        |
| 14. | 3/32" Aluminum Rivet           | 40APR1/8    | 2        |
| 15. | 1/8" Aluminum Rivet - Cherry Q | AAPQ-44     | 4        |
| 16. | 1/8" Aluminum Rivet - Cherry Q | AAPQ-45     | 34       |
| 17. | 1/8" Aluminum Rivet - Cherry Q | AAPQ-41     | 2        |
| 18. | Silicone Seal **               | -----       | 0        |
| 19. | 1/2" 3M VHB Tape               | KSAC0078    | 8.5 ft   |


\* Builder Modifies

\*\* Builder Supplied

9/11/2018

REV. A

- \* CUT BUSHING TO LENGTH AS NEEDED TO SECURE DOOR TIGHTLY.
  - \*\* USE WASHERS AS NEEDED TO SECURE DOOR TIGHTLY
  - \*\*\* AFT DOOR LATCH STRIKER PLATE INSTALLS OVER INTERIOR.
- CAUTION: DO NOT RIVET INTO FUSELAGE FRAME



MD4214  
REV. - ORIG

# RANS S-21 OUTBOUND

## DOOR LATCH AND DOOR INSTALLATION

PAGE


010H-04

| #   | DESCRIPTION                                | PART NUMBER | QUANTITY |
|-----|--------------------------------------------|-------------|----------|
| 1.  | Self-Locking Clevis Pin                    | KSHW0045    | 4        |
| 2.  | Door Knob - 1" Black                       | KSHW0093    | 2        |
| 3.  | Handle Plate - LH                          | KPDR0110-L  | 1        |
| 3.  | Handle Plate - RH                          | KPDR0110-R  | 1        |
| 4.  | 3/16" Thin Washer                          | AN960-10L   | 10       |
| 5.  | Loctite Blue *                             | -----       | 0        |
| 6.  | 3/16" Bolt                                 | AN3-3A      | 2        |
| 7.  | 1/8" Stainless Steel Rivet - Cherry Q      | CCPQ-42     | 6        |
| 8.  | Door Spacer Bushing, 1/2" x .058 x 3/8" ** | KPAC0278    | 1        |
| 9.  | 3/16" Bolt                                 | AN3-4A      | 2        |
| 10. | 3/16" Shear Acorn Nut                      | 22NKM02     | 4        |
| 11. | Door Latch                                 | KPDR0113    | 2        |
| 12. | 3/16" Thick Washer                         | AN960-10    | 4        |
| 13. | Door Pivot Bushing                         | KPDR0057    | 2        |
| 14. | Handle Stop Plate                          | KPDR0111    | 2        |
| 15. | Button Head Screw                          | KSHW0024    | 2        |
| 16. | Door Handle                                | KPDR0026    | 2        |
| 17. | Brass Flange Nut                           | KSHW0025    | 2        |
| 18. | Door Latch Striker Plate                   | KPDR0122    | 2        |
| 19. | 3/4" Acrylic Foam Tape *                   | -----       | 0        |
| 20. | 5/16" Thick Washer                         | AN960-516   | 4        |
| 21. | Ball Stud                                  | KSHW0021    | 4        |
| 22. | 5/16" Loc-Nut - Course                     | KSHW0022    | 2        |
| 23. | Gas Spring                                 | KSHW0078    | 2        |
| 24. | 5/16" Thin Washer                          | AN960-516L  | 2        |
| 25. | Aft Door Latch Striker Plate - LH          | KPDR0125-L  | 1        |
| 25. | Aft Door Latch Striker Plate - RH          | KPDR0125-R  | 1        |
| 26. | 1/8" Aluminum Rivet - Avex                 | 1691-0410   | 6        |
| 27. | Adhesive or Double Stick Tape *            | -----       | 0        |

\* Builder Supplied

\*\* Builder fabricates from raw stock

9/11/2018  
REV. - ORIG



**REVISION S-21 OUTBOUND**  
**FUSELAGE - AFT BAGGAGE COMPARTMENT INSTALLATION**

MD55593  
REV. - ORIG

# RANS S-21 OUTBOUND

PAGE

010I-02

## AFT BAGGAGE COMPARTMENT INSTALLATION

| #   | DESCRIPTION                                        | PART NUMBER  | QUANTITY |
|-----|----------------------------------------------------|--------------|----------|
| 1.  | Aft Side - Baggage - RH                            | KPIN0136-R   | 1        |
| 2.  | Aft Side - Baggage - LH                            | KPIN0136-L   | 1        |
| 3.  | S-4 Closeout                                       | KPIN0137     | 1        |
| 4.  | Aft Bottom - Baggage - RH                          | KPIN0135     | 1        |
| 5.  | Aft Bottom - Baggage - LH                          | KPIN0134     | 1        |
| 6.  | Aft Baggage Bottom Support                         | KPIN0138     | 2        |
| 7.  | Baggage Compartment Fabric - Optional - 2.5 yards* | -----        | 0        |
| 8.  | Contact Cement Adhesive - 3M Super 77 Spray **     | -----        | 0        |
| 9.  | 8-32 Nut Plate                                     | MS21047-08   | 16       |
| 10. | 3/32" Aluminum Rivet                               | 40APR1/8     | 36       |
| 11. | 8-32 Machine Screw                                 | AN526-832R10 | 16       |
| 12. | 1/8" Aluminum Rivet - Cherry Q                     | AAPQ-43      | 20       |
| 13. | 1/8" Aluminum Rivet - Avex                         | 1691-0410    | 54       |
| 14. | Spacer - Station 4 Closeout - 0.75" ***            | KPIN0141     | 1        |
| 15. | PVC Cement **                                      | -----        | 0        |
| 16. | 3/16" Bolt                                         | AN3-12A      | 2        |
| 17. | 3/16" Nut Plate                                    | K-1000-3     | 2        |


\* May be purchased separately, call RANS Parts Dept. for pricing

\*\* Builder Supplied

\*\*\* Builder Modifies

9/11/2018

REV. - ORIG




# REFINOS S-21 OUTBOUND SIDES - FORWARD BAGGAGE COMPARTMENT INSTALLATION

MD5593  
REV. - ORIG

SIDES - FORWARD BAGGAGE COMPARTMENT INSTALLATION

| #  | DESCRIPTION                             | PART NUMBER  | QUANTITY |
|----|-----------------------------------------|--------------|----------|
| 1. | Forward Side - Baggage Compartment - LH | KPIN0094-L   | 1        |
| 2. | Forward Side - Baggage Compartment - RH | KPIN0094-R   | 1        |
| 3. | 1/8" Aluminum Rivet - Avex              | 1691-0410    | 12       |
| 4. | Support Angle - Baggage Compartment *   | KPIN0096     | 3        |
| 5. | 3/32" Aluminum Rivet                    | 40APR1/8     | 14       |
| 6. | 8-32 Nut Plate                          | MS21047-08   | 7        |
| 7. | 8-32 Machine Screw                      | AN526-832R10 | 2        |

\* Builder Modifies



NOTE: ALL RIVETS  
1691-0410 AVEX  
EXCEPT AS NOTED


**REFUND S-21 OUTBOUND**

**FLOOR - FORWARD BAGGAGE COMPARTMENT INSTALLATION**

MD5593  
REV. A

**FLOOR - FORWARD BAGGAGE COMPARTMENT INSTALLATION**

| <b>#</b> | <b>DESCRIPTION</b>                   | <b>PART NUMBER</b> | <b>QUANTITY</b> |
|----------|--------------------------------------|--------------------|-----------------|
| 1.       | Forward Bottom - Baggage Compartment | KPIN0090           | 1               |
| 2.       | 8-32 Machine Screw                   | AN526-832R10       | 13              |
| 3.       | #8 Small Brass Washer                | AN960-B8           | 13              |
| 4.       | 8-32 Nut Plate                       | MS21047-08         | 8               |
| 5.       | 3/32" Aluminum Rivet                 | 40APR1/8           | 16              |
| 6.       | 1/8" Aluminum Rivet - Avex           | 1691-0410          | 27              |



**S-21 OUTBOUND  
INTERIOR INSTALLATION - AFT**

MD5595  
REV. A

# RANS S-21 OUTBOUND

PAGE

010I-08

## INTERIOR INSTALLATION - AFT

| #   | DESCRIPTION                                    | PART NUMBER | QUANTITY |
|-----|------------------------------------------------|-------------|----------|
| 1.  | Station 2A Closeout                            | KPIN0099    | 1        |
| 2.  | Middle Console                                 | KPIN0122    | 1        |
| 3.  | Rudder Cable Closeout                          | KPIN0101    | 1        |
| 4.  | Seat Side Closeout - RH                        | KPIN0142-R  | 1        |
| 4.  | Seat Side Closeout - LH                        | KPIN0142-L  | 1        |
| 5.  | Control Stick Closeout - LH                    | KPIN0126-L  | 1        |
| 5.  | Control Stick Closeout - RH                    | KPIN0126-R  | 1        |
| 6.  | Flap Lever / Control Stick Closeout            | KPIN0124    | 1        |
| 7.  | Lower Flap Lever Closeout                      | KPIN0110    | 1        |
| 8.  | 1/8" Aluminum Rivet - Cherry Q                 | AAPQ-42     | 4        |
| 9.  | Side Closeout Retainer *****                   | KPIN0143    | 1        |
| 10. | Support Angle - Baggage Compartment *          | KPIN0096    | 0        |
| 11. | Rubber Trim                                    | X1011       | 2 ft     |
| 12. | Control Stick Boot                             | KPIN0013    | 2        |
| 13. | 1/8" Small Brass Washer                        | AN960-B4    | 24       |
| 14. | Skin Stiffener - Boot Cowl **                  | KPFU0685    | 1        |
| 15. | 1/8" Aluminum Rivet - Avex                     | 1691-0410   | 27       |
| 16. | Tinnerman                                      | A1789-8Z-1  | 21       |
| 17. | #8 Pan Head Screw                              | 8X1/2 PHS   | 15       |
| 18. | #6 Pan Head Screw                              | 6RX1/2 PHS  | 10       |
| 19. | Adhesive - Superglue ***                       | ----        | 0        |
| 20. | Velcro - Adhesive Back ***                     | ----        | 0        |
| 21. | Interior Fabric - Optional - 2 yards *** ***** | ----        | 0        |
| 22. | Contact Cement Adhesive - Brush On ***         | ----        | 0        |
| 23. | Tinnerman                                      | A6196-6Z-1  | 4        |
| 24. | 3/32" Aluminum Rivet                           | 40APR1/8    | 32       |
| 25. | Loctite Blue ***                               | ----        | 0        |
| 26. | Flap Lever Cover - LH ****                     | KPIN0118-L  | 0        |
| 26. | Flap Lever Cover - RH ****                     | KPIN0118-R  | 0        |
| 27. | Screw Rivet                                    | M60-0580-01 | 2        |

\* Use Drop-Off from Baggage Compartment Installation

\*\* Also Use Drop-Off from Boot Cowl Assembly \*\*\* Builder Supplied


\*\*\*\* Refer to Flap Lever Assembly \*\*\*\*\* May be purchased seperately, call RANS Parts Dept.

\*\*\*\*\* Builder Modifies

9/11/2018

REV. - ORIG

# RRR S-21 OUTBOUND INTERIOR INSTALLATION - FWD



MD5595  
REV. A

# RANS S-21 OUTBOUND

PAGE

010I-10

## INTERIOR INSTALLATION - FWD


| #   | DESCRIPTION                | PART NUMBER | QUANTITY |
|-----|----------------------------|-------------|----------|
| 1.  | Fuel Valve Indicator Plate | KPIN0131    | 1        |
| 2.  | AFT Side Kick Panel - RH   | KPIN0120-R  | 1        |
| 2.  | AFT Side Kick Panel - LH   | KPIN0120-L  | 1        |
| 3.  | FWD Side Kick Panel - RH   | KPIN0121-R  | 1        |
| 3.  | FWD Side Kick Panel - LH   | KPIN0121-L  | 1        |
| 4.  | Side Kick Panel *          | KPIN0123    | 0        |
| 5.  | 1/8" Aluminum Rivet - Avex | 1691-0410   | 10       |
| 6.  | 3/32" Aluminum Rivet       | 40APR1/8    | 12       |
| 7.  | Fuel Valve Guard           | KPIN0130    | 1        |
| 8.  | Brass Bolt                 | MS35214-20  | 2        |
| 9.  | 1/8" Small Brass Washer    | AN960-B4    | 2        |
| 10. | #4-40 Nut                  | AN364-440A  | 2        |
| 13. | #8 Pan Head Screw          | 8X1/2 PHS   | 8        |

\* Builder Supplied

9/11/2018  
REV. - ORIG

\* REFER TO AFT BAGGAGE  
COMPARTMENT INSTALLATION

\*\* REFER TO FLOOR – FORWARD  
BAGGAGE COMPARTMENT INSTALLATION



# REFINISH S-21 OUTBOUND OPTIONS - CARGO NET INSTALLATION


**RANS S-21 OUTBOUND**  
**OPTIONS - CARGO NET INSTALLATION**

PAGE

010I-12

| #   | DESCRIPTION                  | PART NUMBER | QUANTITY |
|-----|------------------------------|-------------|----------|
| 1 . | Cargo Net                    | KPIN0105    | 1        |
| 2 . | #10 Washer - Stainless Steel | BSHW0022    | 4        |

REFER TOAILERON CABLE  
SYSTEM  
INSTALLATION – FUSELAGE



**REVISION S-21 OUTBOUND  
STATION 3 CLOSEOUT**

**RANS S-21 OUTBOUND**  
**STATION 3 CLOSEOUT**

PAGE

010J-02

| #  | DESCRIPTION                    | PART NUMBER | QUANTITY |
|----|--------------------------------|-------------|----------|
| 1. | Station 3 Closeout - Side - LH | KPIN0113-L  | 1        |
| 2. | Station 3 Closeout - Side - RH | KPIN0113-R  | 1        |
| 3. | Station 3 Closeout - Upper     | KPIN0115    | 1        |
| 4. | Screw Rivet                    | M60-0580-01 | 6        |